

Trading API

# Table of Contents

Get started .....	1
Overview .....	1
Requirements .....	1
License .....	1
Communication .....	1
Security .....	2
Configuration .....	3
Session TAN .....	5
Usage of the Trading API.....	5
Source code .....	5
Initialization .....	6
Services and functions definition.....	9
Create services .....	9
Objects creation .....	11
Pull and push functions .....	12
Pull requests .....	12
Push requests .....	13
Push subscriptions .....	16
Services and functions .....	19
Access service .....	19
Client validation.....	19
Client invalidation.....	20
Account service .....	21
Get list of trading accounts .....	22
Stream account information changes .....	23
Stream account transactions changes .....	23
Stock exchange service .....	25
Get information about all stock exchanges.....	26
Get information about specific stock exchange.....	27
Depot service .....	27
Stream depot changes .....	27
Update depot.....	29
Security service .....	29
Securities access.....	29
Get security information .....	31
Stream market data information.....	32
Stream orderbook data .....	35
Stream currency rate .....	36

Get security historic data .....	38
Order service .....	39
Order types and parameters .....	39
Stream orders .....	41
Update orders .....	42
Get securities quotes .....	42
Accept quote .....	46
Add order .....	47
Change order .....	49
Cancel order .....	50
Activate order .....	51
Deactivate order .....	52
Order costs .....	53
Errors .....	60
Objects and types description .....	61
AcceptQuoteRequest .....	61
AccessTokenRequest .....	62
ActivateOrderRequest .....	62
AggregatedCosts .....	63
AddOrderRequest .....	64
CancelOrderRequest .....	65
CashQuotation .....	66
CategoryCost .....	66
ChangeOrderRequest .....	66
CurrencyRateReply .....	67
CurrencyRateRequest .....	67
Date .....	67
DeactivateOrderRequest .....	68
DepotEntries .....	68
DepotEntry .....	68
DepotPosition .....	69
DetailCost .....	69
Empty .....	70
Error .....	70
LimitToken .....	70
LoginReply .....	70
LoginRequest .....	70
LogoutReply .....	71
LogoutRequest .....	71
Order .....	71
OrderBookEntry .....	72

OrderCosts	72
OrderModel	72
OrderReply	73
Orders	73
OrderStatus	73
OrderSupplement	74
OrderType	74
PriceEntry	75
QuoteEntry	75
QuoteReply	75
QuoteRequest	76
SecurityChangedField	76
SecurityClass	77
SecurityCode	78
SecurityCodeType	78
SecurityInfoReply	78
SecurityInfoRequest	79
SecurityMarketDataReply	79
SecurityMarketDataRequest	80
SecurityOrderBookReply	80
SecurityOrderBookRequest	81
SecurityPriceHistoryReply	81
SecurityPriceHistoryRequest	81
SecurityStockExchangeInfo	82
SecurityWithStockExchange	82
ShortMode	85
StockExchange	86
StockExchangeDescription	86
StockExchangeDescriptions	86
StockExchangeInfo	86
StockExchangeRequest	86
TimeResolution	87
Timestamp	87
TradingAccount	89
TradingAccountInformation	89
TradingAccountRequest	89
TradingAccounts	90
TradingAccountTransactions	90
TradingPhase	90
TradingPossibility	90
TradingState	91

TrailingNotation.....	91
Transaction .....	91
UnitNote.....	92
Validation.....	92
Questions and Answers.....	92

# Get started

## Overview

Trading API (TAPI) is a part of the standard [Consorsbank](#) trading application ActiveTrader / ActiveTrader Pro. It allows to write user managed application for the specific trading activities. TAPI support pull / push requests and based on the [Google Remote Procedure Call \(GRPC\)](#) technology.

With help of the TAPI you have an access to the accounts, orders, depots and market data information.



### *Important*

This documentation is the description of the early version of Trading API. It's not final and it's subject to change. With the lookback to the new BaFin regulation it's especially important to understand that the ordering part of the TAPI can be partially changed to fulfill new law directives.

Additional information and discussions can be found [there](#). Please contact to the support team to get access to this part of the community.

## Requirements

- Active Trader / Active Trader Pro with Java 8 64 bits, minimum 8Gb RAM
- Client CSharp / .NET Framework 4.7.x or higher / .Net Core SDK 2.1 or higher ([Visual Studio Community Edition 2017](#))


## License

Trading-API is licensed under [Apache 2.0 license](#).

The license and notice texts can be found in the delivered **LICENSE** and **NOTICE.TXT** files.

## Communication

GRPC technology uses one connection to transfer all necessary data between client and ActiveTrader. As developer you don't need to care about communication. All low level communication, security and converting functions takes TAPI engine. You can concentrate on the high level functions and business logic of the application.




## Security

TAPI uses HTTP/2 protocol with RSA protection. RSA self signed certificate can be generated directly in the ActiveTrader application. Typical use case is to use user application from same PC, but it's also possible to connect from the remote machine.


### *Important*



To accept self signed certificate from the user application is necessary to use trusted part of the RSA keys (Trust Certificate) by the connection initialization in the client application. This certificate can be exported from the ActiveTrading application.



To provide users access control can be used **secret** string. That's an equivalent of password. Secret is defined in the Active Trader and used only for validation. User application sends secret to the ActiveTrader. If the validation in the ActiveTrader is passed then ActiveTrader generates a session **access token** and returns it to the user application. With this token is possible to execute other requests. After end of processing the token should be invalidated.




*Important*

We don't keep **secret** data in the configuration. Only double MD5 hash of the secret + salt is stored in the configuration. As result we can't restore the secret. For more information see [Defense against rainbow tables](#)

## Configuration

To activate TAPI is need to complete next steps:



① Select Trading-API settings in the configuration

②

Activate TAPI checkbox

- ③ Optional: if key exists, press [GENERATE NEW KEY] button

In the opened dialog

Generate new key

Common Name [host name] (CN) localhost

Locality (L) 1 Muenberg

Country Name (C) DE

Encryption key size 2048

Validity in days 730

2 GENERATE NEW KEY

3 OK ABBRECHEN

- ① Enter or correct key settings
- ② Press [GENERATE NEW KEY] button and wait until new key is generated
- ③ Press [OK] button to accept new settings


After confirmation of the new settings TAPI will be activated.



*Warning*

In some cases if any initialization errors appear, the TAPI activation indication in the status bar of the application will be red. To check activation problems move mouse cursor over this indication and check tooltip for the error.

Before to start using client application, it's need to export trusted certificate from ActiveTrader.



- ① Set secret for an access control. Longer string is better.
- ② Press [EXPORT TRUST CERTIFICATE] and store file (for example with name: **roots.pem**) to the location where client application can use it.

## Session TAN

Some operations of the TAPI can be used without TAN. All activities with the necessity of the autorisation are need to use of the session TAN.



### *Important*

Do not forget to activate session TAN. It's not possible to use individual TAN's with TAPI

## Usage of the Trading API

### Source code

An example application is delivered with precompiled GRPC libraries. If you want to generate source code by yourself you can use protobuf files from **protobuf** directory. Please refer to the [C# Quickstart](#).

# Initialization

To initialize client application and connect to the ActiveTrader with help of TAPI you have to process next steps:




## Important


All examples are available as source code and can be found in the specific folders.



Input point is the file **Program.cs**

To start an application you have to define location of the trust certificate and set secret. See properties item of the context menu of the





Initialize the root GRPC engine with trusted certificate, exported from configuration dialog of the ActiveTrader.

*Example C#: Inititalize GRPC*

```
using System;
using System.Collections.Generic;
using System.IO;
using Grpc.Core;
using Com.Consorsbank.Module.Tapi.Grpc;
using System.Threading.Tasks;
using System.Threading;
using Microsoft.CSharp.RuntimeBinder;

class Program : IDisposable
{
    private static readonly Empty empty = new Empty();

    private readonly Channel channel;
    private readonly StockExchangeService.StockExchangeServiceClient
stockExchangeServiceClient;
    private readonly DepotService.DepotServiceClient depotServiceClient;
    private readonly SecurityService.SecurityServiceClient securityServiceClient;
    private readonly OrderService.OrderServiceClient orderServiceClient;

    private readonly string _accessToken = "";
```

```

public Program(string host, int port, string trustCertificate, string secret)
{
    SslCredentials channelCredentials = new SslCredentials(trustCertificate); ①
    channel = new Channel(host + ":" + port, channelCredentials); ②

    this._accessToken = Login(secret);
    if (this._accessToken == null)
    {
        throw new RuntimeBinderException("Error by login");
    }

    stockExchangeServiceClient = new StockExchangeService
.StockExchangeServiceClient(channel);
    depotServiceClient = new DepotService.DepotServiceClient(channel);
    securityServiceClient = new SecurityService.SecurityServiceClient(channel);
    orderServiceClient = new OrderService.OrderServiceClient(channel);
}

public void Dispose()
{
    Logout();
    channel?.ShutdownAsync().Wait(); ③
}

public static void Main(string[] args)
{
    if (args.Length < 2)
    {
        Console.WriteLine("Please generate key in AT and" +
            "put location of the trust certificate and secret as an argument");
        return;
    }

    string trustCertificate = File.ReadAllText(args[0]); ④
    using (Program program = new Program("localhost", 40443,
        trustCertificate, args[1])) { ⑤

        // ...

    }
}
}

```

- ① Create conditionals
- ② Create communication channel
- ③ Close communication channel
- ④ Get trusted certificate location as a parameter of the command line

- ⑤ Create an instance of the program

## Services and functions definition

After an initialization is GRPC ready and it can be used for the building service stubs to operate with TAPI services. Stubs are sets of service functions with help of then is possible to access data and execute user actions. They are very similar to the normal programming functions with small differences.

- Each remote function can have one (and only one) input parameter.
- Each remote function can have one (and only one) result parameter.
- The function can send data asynchronously

Functions can be simple (one request → one reply), server sends events (one request from client → many replies from server), client sends events (many requests from client → one reply from server) or server and clients sends events (many requests from client → many replies from server). TAPI uses only first and second types of functions. First type of the function used for the simple user activity (pull) and second type for subscriptions or streaming (push).

Services and functions are defined in the special files as [protobuf protocol v.3](#)

*Example Protobuf: RPC definition*

```
service ServiceName { ①
  rpc SimpleFunction(ClientParameterType1) returns (ServerParameterType1); ②
  rpc PushFunction(ClientParameterType2) returns (stream ServerParameterType2); ③
}
```

- ① **ServiceName** is service stub name. This name will used for the access to the service functions
- ② **SimpleFunction** is simple request / reply function.
- ③ **PushFunction** is push function with one request and streams data from the server. Please check **stream** keyword before ServerParameterType2



### *Important*

You don't need to use protobuf files directly, but it's good idea to know a syntax of the the protocol. These files are need if you want to use TAPI with other progaming languages. [grpc.io](#) conatains all necessary infomation about code generation and usage for all supported programming languages.

## Create services

There are two types of the service functions: blocking and unblocking service functions. Blocking service functions are used for the synchronical answer from the function and similar to the typical program functions. By call of the blocking functions, program waits until a result of the function is arrived. It can produce timeouts by the execution. Unblocking function are used for the background processing. In this case a program don't wait until result is arrived and listen for the result

asynchronously. This type of the stubs is used for the push functions. For more information please refer to the [grpc.io](http://grpc.io) web site.

Blocking calls can be used directly. For asynchronous calls are defined helper classes to simplify an access logic.

*Example C#: StreamObserver for push streams*

```
using System;
using System.Collections.Generic;
using Grpc.Core;
using System.Threading.Tasks;
using System.Threading;

public abstract class StreamObserver<TClient, TRequest, TReply> where TClient :
    ClientBase<TClient>
{
    // Define delegates
    public delegate void ResultListener(TReply reply); ①
    public delegate AsyncServerStreamingCall<TReply>
        Call(TRequest request, CancellationToken token); ②

    private readonly TClient _client;
    private readonly Call _caller;

    protected StreamObserver(TClient client, Call caller)
    {
        this._client = client;
        this._caller = caller;
    }

    public async Task Stream(TRequest request, ResultListener listener,
        CancellationToken token = default(global::System.Threading.CancellationToken))
    {
        try
        {
            using (AsyncServerStreamingCall<TReply> call = _caller(request, token)) ③
            {
                var responseStream = call.ResponseStream; ④
                while (!token.IsCancellationRequested && await responseStream.
MoveNext()) ⑤
                {
                    {
                        TReply reply = responseStream.Current; ⑥
                        listener?.Invoke(reply); ⑦
                    }
                }
            }
        }
        catch (RpcException e)
        {
```

```

        if (e.StatusCode!=StatusCode.Cancelled)
        {
            Console.WriteLine(e); ⑧
            throw;
        }
    }
catch (Exception e)
{
    Console.WriteLine(e); ⑧
    throw;
}
}
}

```

- ① Define delegate for the listener
- ② Define deligate for the function call
- ③ Create streaming call
- ④ Get response stream
- ⑤ Wait for the next event asynchronously
- ⑥ Get result
- ⑦ Sent result to the listener
- ⑧ Process error

## Objects creation

Objects in the GRPC world are **immutable** (or not changable). All fields of the object are filled by object creation.

*Example C#: Create object*

```

SecurityMarketDataRequest marketDataRequest = new SecurityMarketDataRequest() ①
{
    SecurityWithStockexchange = new SecurityWithStockExchange ②
    {
        SecurityCode = new SecurityCode ③
        {
            Code = "710000",
            CodeType = SecurityCodeType.Wkn
        };
        StockExchange = new StockExchange ④
        {
            Id = stockExchangeId,
            Issuer = ""
        };
    }
}
}

```

- ① Create security market data request
- ② Initialize security code with stock exchange field
- ③ Initialize security code as field of the security code with stock exchange
- ④ Initialize stock exchange as field of the security code with stock exchange



*Important*

Please refer to the [protobuf3 protocol](#) to check fields mapping and default values for the parameters.



*Important*


It's necessary to fill only parameters that need for the function call. All other parameters should stay untouched or should have default values.

## Pull and push functions

There is two possibilites to call remote function.

### Pull requests

The first one is using blocking service stub. In this case an operation blocks program execution until results are arrived.



### Example C#: Blocking execution

```
private static readonly Empty empty = new Empty();

public TradingAccounts GetTradingAccounts()
{
    var accountServiceClient =
        new AccountService.AccountServiceClient(channel); ①
    var accessToken = new AccessTokenRequest()
    {
        AccessToken = this._accessToken ②
    };
    return accountServiceClient.GetTradingAccounts(accessToken); ③
}
```

- ① Create account service client
- ② Set access token
- ③ Request trading accounts and wait the result




#### Useful

Typical use case is to get clients once and keep it during one connection session.

## Push requests

Other possibility is not to wait for the results, but listen for them asynchronously.



### Example C#: Noblocking execution

```
private static readonly Empty empty = new Empty();

public Task<TradingAccounts> GetTradingAccountsAsync()
{
    var accountServiceClient =
        new AccountService.AccountServiceClient(channel); ①
    var accountStreamer = new AccountsStreamer(accountServiceClient); ②
    CancellationTokenSource tokenSource = new CancellationTokenSource(); ③
    var accessTokenRequest = new AccessTokenRequest()
    {
        AccessToken = _accessToken
    };
    var backgroundTask = accountStreamer.Process(accessTokenRequest,
        accounts => Console.WriteLine(accounts), ④
        tokenSource.Token);

    return backgroundTask; ⑤
}
```

- ① Create service client (can be done once)
- ② Create help streamer (can be done once)
- ③ Create cancel source to control execution
- ④ Set delegate to process results. Called after processing end. No new result are coming anymore. The task is finished.
- ⑤ Return task back. Can be used for **await**

The results are coming only once. The operation will be automatically completed. A cancel token is optional parameter. To execute this example are additional classes need.

### Example C#: AccountsStreamer

```
public class AccountsStreamer :
    AsyncObserver<AccountService.AccountServiceClient, AccessTokenRequest,
    TradingAccounts> ①
{
    public AccountsStreamer(AccountService.AccountServiceClient client) : ②
        base(client, (request, token) =>
            client.GetTradingAccountsAsync(request, null, null, token))
    { }
}
```

- ① Account streamer takes 3 parameters to execute: client, request and reply
- ② Implementation of the asynchronous request (overloaded function)

**AsyncObserver** is helper class to process asynchronous requests.

### Example C#: AsyncObserver

```
public abstract class AsyncObserver<TClient, TRequest, TReply> where TClient :
ClientBase<TClient>
{
    // Define delegates
    public delegate void ResultListener(TReply reply); ①
    public delegate AsyncUnaryCall<TReply> Call(TRequest request, CancellationToken
token); ②

    private readonly TClient _client;
    private readonly Call _caller;

    public AsyncObserver(TClient client, Call caller)
    {
        this._client = client;
        this._caller = caller;
    }

    public async Task<TReply> Process(TRequest request, ResultListener listener,
CancellationToken token = default(global::System.Threading.CancellationToken))
    {
        try
        {
            using (AsyncUnaryCall<TReply> call = _caller(request, token)) ③
            {
                var responseStream = call.ResponseAsync; ④
                await responseStream; ⑤
                if (!responseStream.IsCanceled)
                {
                    listener?.Invoke(responseStream.Result); ⑥
                }
                return responseStream.Result;
            }
        }
        catch (RpcException e)
        {
            if (e.StatusCode != StatusCode.Cancelled)
            {
                Console.WriteLine(e); ⑦
                throw;
            } else
            {
                return default(TReply);
            }
        }
        catch (Exception e)
        {
            Console.WriteLine(e); ⑧
            throw;
        }
    }
}
```


```
}  
}  
}
```

- ① Define delegate for the listener
- ② Define delegate for the function call
- ③ Create streaming call
- ④ Get response stream
- ⑤ Wait for the event asynchronously
- ⑥ Get result and send it to the listener
- ⑦ Process rpc error
- ⑧ Process application error

## Push subscriptions

In some cases server can send more than one answer or **streams** the data. This case is similar to requests, but has some differences.

- It can come more than one results answer back
- Server can send "break" notification to the client if no data is exist anymore
- Client can send "break" notification to the server if no data is need anymore. See **ServerSubs**



Push subscriptions can be done with help of [StreamObserver](#). This abstract class can be used to build real streamer classes. Next example shows how to use it to get market data information.

### Example C#: MarketDataStreamer

```
public class MarketDataStreamer : ①
    StreamObserver<SecurityService.SecurityServiceClient,
    SecurityMarketDataRequest, SecurityMarketDataReply>
{
    public SecurityMarketDataRequest GetRequestWithWknAndStockId(
        string accessToken, string wkn, string stockId) ②
    {
        SecurityMarketDataRequest marketDataRequest = new SecurityMarketDataRequest()
        ③
        {
            AccessToken = accessToken,
            SecurityWithStockexchange = new SecurityWithStockExchange ④
            {
                SecurityCode = TestUtils.GetSecurityCode(wkn, SecurityCodeType.Wkn),
                StockExchange = TestUtils.GetStockExchange(stockId, null)
            }
        };
        return marketDataRequest;
    }

    public MarketDataStreamer(SecurityService.SecurityServiceClient client) : ⑤
        base(client, (request, token) => client.StreamMarketData(request, null, null,
        token))
    { }
}
```

- ① Define class with client, request and reply types
- ② Help function to simplify creation of the request
- ③ Create request
- ④ Fill request fields
- ⑤ Request data from server

Market data streamer allows to subscribe for quotes for many securities

### Example C#: MarketDataStreamer

```
private readonly SecurityService.SecurityServiceClient securityServiceClient;

private async Task StreamMarketDataAsync()
{
    MarketDataStreamer marketDataStreamer =
        new MarketDataStreamer(securityServiceClient); ①

    SecurityMarketDataRequest marketDataRequestTRG = ②
        marketDataStreamer.GetRequestWithWknAndStockId(_accessToken, "710000", "TRG");

    CancellationTokensource tokenSource1 = new CancellationTokensource(); ③
    Task tickerTask1 = marketDataStreamer.Stream( ④
        marketDataRequestTRG,
        reply => Console.WriteLine("Source (1): " + reply), ⑤
        tokenSource1.Token);

    SecurityMarketDataRequest marketDataRequestOTC = ⑥
        marketDataStreamer.GetRequestWithWknAndStockId(_accessToken, "710000", "OTC");

    CancellationTokensource tokenSource2 = new CancellationTokensource();
    Task tickerTask2 = marketDataStreamer.Stream( ⑦
        marketDataRequestOTC,
        reply => Console.WriteLine("Source (2): " + reply),
        tokenSource2.Token);

    await Task.Delay(10000); ⑧
    tokenSource1.Cancel(); ⑨

    await Task.Delay(20000);
    tokenSource2.Cancel();
}
```

- ① Create market data streamer (can be reused)
- ② Create request on ETR
- ③ Create cancelation token
- ④ Stream data
- ⑤ Process quote tick
- ⑥ Create request on OTC
- ⑦ Stream data
- ⑧ Wait a while. Events from both subscription should be processed
- ⑨ Cancel subscription for ETR



### Useful

You can modify existing code or write another code to simplify access to the service functions.

## Services and functions

### Access service

Access service provides functionality to validation / invalidation of the client.

Table 1. AccessService

Function	Description
<code>LoginReply = Login(LoginRequest)</code>	Validates client by the TAPI and gets access data
<code>LogoutReply = Logout(LogoutRequest)</code>	Invalidates client by the TAPI and gets logout result

### Client validation

Client validation should be a first request after connection initialization. To validate client you have to set a **secret** that was set in the ActiveTrader configuration and process a login function. As result of this function returned session access token. This token is necessary to set to each request that will be send by TAPI.

### Example C#: Login

```
private readonly string _accessToken = "";  
  
public string Login(string secret)  
{  
    var accessServiceClient =  
        new AccessService.AccessServiceClient(channel); ①  
    var loginRequest = new LoginRequest()  
    {  
        Secret = secret ②  
    };  
    var loginReply = accessServiceClient.Login(loginRequest); ③  
  
    if (loginReply.Error != null)  
    {  
        // Error handling  
        Console.WriteLine(loginReply.Error);  
        return null;  
    }  
    else  
    {  
        return loginReply.AccessToken; ④  
    }  
}
```

- ① Create service client
- ② Set secret
- ③ Process validation
- ④ Return access token

## Client invalidation

After finishing of usage of the TAPI is necessary to invalidate session. That can be done with help of the logout function.

### Example C#: Logout

```
public void Logout()
{
    if (this._accessToken != "")
    {
        var accessServiceClient =
            new AccessService.AccessServiceClient(channel); ①
        var logoutRequest = new LogoutRequest()
        {
            AccessToken = _accessToken ②
        };
        accessServiceClient.Logout(logoutRequest); ③
    }
}
```

① Create service client

② Set token

③ Process invalidation


## Account service

Account service provides access to the trading accounts and gives possibility to access to the accounts data and transactions.

Table 2. AccountService

Function	Description
<a href="#">TradingAccounts</a> = <a href="#">GetTradingAccounts(AccessTokenRequest)</a>	Gets trading accounts <b>@return</b> TradingAccounts List of trading accounts
<a href="#">TradingAccountInformation</a> ← <a href="#">StreamTradingAccount(TradingAccountRequest)</a>	Subscribes one trading account for updates <b>@param</b> TradingAccount Trading account for push <b>@stream</b> TradingAccountInformation Specific information for subscribed account (balance, kredit line, etc.)
<a href="#">TradingAccountTransactions</a> ← <a href="#">StreamTradingAccountTransactions(TradingAccountRequest)</a>	Subscribes one trading account for the transactions updates <b>@param</b> TradingAccount Trading account for push <b>@stream</b> TradingAccountInformation Transactions list for subscribed account

To subscribe for the account and transactions changes you have to get trading accounts and subscribe each account with help of steam functions for data changes independently.



## Get list of trading accounts

Many activities need information about an account data. Most important information is a trading account number. To get list of all available trading accounts you have to use **Get Trading Accounts** function.

*Example C#: GetTradingAccounts*

```

private static readonly Empty empty = new Empty();

public TradingAccounts GetTradingAccounts()
{
    var accountServiceClient =
        new AccountService.AccountServiceClient(channel); ①
    var accessToken = new AccessTokenRequest()
    {
        AccessToken = this._accessToken ②
    };
    return accountServiceClient.GetTradingAccounts(accessToken); ③
}
  
```

- ① Create account service client
- ② Request trading accounts and wait the result



### *Important*

Not all accounts in the pro version of the ActiveTrader can be used for the trading functionality. Please refer to the [TradingAccount](#) and check for the access availability of the selected account (flag: **tradable**).



### Useful

Typical use case is to get this information once and keep it during one connection session.

## Stream account information changes

To get pushed trading account information is need to subscribe an account for the trading account stream.

*Example C#: GetTradingAccounts*

```
public TradingAccounts GetTradingAccounts()
{
    var accountServiceClient =
        new AccountService.AccountServiceClient(channel); ①
    var accessToken = new AccessTokenRequest()
    {
        AccessToken = this._accessToken ②
    };
    return accountServiceClient.GetTradingAccounts(accessToken); ③
}
```

- ① Create service client
- ② Set access token
- ③ Process remote request

## Stream account transactions changes

To get pushed trading account transactions list is need to subscribe account for trading account transactions stream.

### Example C#: StreamTradingAccountInformation

```
public void StreamTradingAccountInformation()
{
    TradingAccounts tradingAccounts = GetTradingAccounts(); ①
    var accountServiceClient = ②
        new AccountService.AccountServiceClient(channel);
    AccountInformationStreamer streamer = ③
        new AccountInformationStreamer(accountServiceClient);
    foreach (var account in tradingAccounts.Accounts) ④
    {
        var tradingAccountRequest = new TradingAccountRequest()
        {
            AccessToken = _accessToken,
            TradingAccount = account
        };
        Task task = streamer.Stream(tradingAccountRequest, ⑤
            accountInformation =>
            {
                TradingAccount recievedAccount = accountInformation.Account; ⑥
                double balance = accountInformation.Balance;
                // ...
                Console.WriteLine(accountInformation);
            });
    }
}
```

- ① Get trading accounts
- ② Create client (it can be reused)
- ③ Create account information streamer
- ④ Iterate over each account
- ⑤ Subscribe account
- ⑥ Process account information events with help of the delegator

AccountsStreamer is the help class to encapsulate typical processing with the stream data.

### Example C#: AccountsStreamer

```
public class AccountsStreamer :
    AsyncObserver<AccountService.AccountServiceClient, AccessTokenRequest,
    TradingAccounts> ①
{
    public AccountsStreamer(AccountService.AccountServiceClient client) : ②
        base(client, (request, token) =>
            client.GetTradingAccountsAsync(request, null, null, token))
    { }
}
```

- ① Define class with client, request and reply types
- ② Request data from server

In some cases it is needed to stop data streaming. In this case it can be used **CancellationTokenSource** that will be used by stream creation.

*Example C#: GetTradingAccounts*

```
public void StreamTradingAccountInformationWithStop(TradingAccount account)
{
    var accountServiceClient = ①
        new AccountService.AccountServiceClient(channel);
    AccountInformationStreamer streamer = ②
        new AccountInformationStreamer(accountServiceClient);
    var tradingAccountRequest = new TradingAccountRequest()
    {
        AccessToken = _accessToken,
        TradingAccount = account
    };
    CancellationTokenSource tokenSource = new CancellationTokenSource(); ③

    Task task = streamer.Stream(tradingAccountRequest, ④
        accountInformation =>
        {
            TradingAccount receivedAccount = accountInformation.Account; ⑤
            double balance = accountInformation.Balance;
            // ...
            Console.WriteLine(accountInformation);
        },
        tokenSource.Token); ⑥

    tokenSource.Cancel(); ⑦
}
```

- ① Get trading accounts
- ② Create client (it can be reused)
- ③ Create CancellationTokenSource
- ④ Create account information streamer
- ⑤ Subscribe account
- ⑥ ... with cancellation token
- ⑦ Cancel stream processing

## Stock exchange service

StockExchange service provides access to the stock exchanges.

*Table 3. StockExchangeService*

Function	Description
<b>StockExchangeDescriptions =</b> <b>GetStockExchanges(AccessTokenRequest)</b>	Gets predefined stock exchanges <b>@return</b> StockExchangeDescriptions list of stock exchange informations
<b>StockExchangeDescription =</b> <b>GetStockExchange(StockExchangeRequest)</b>	Gets specific stock exchange <b>@param</b> StockExchange Requested stock exchange <b>@return</b> StockExchangeDescription Stock exchange information

## Get information about all stock exchanges

TAPI has list of predefined stock exchanges that can be fetched directly. Each stock exchange has id and optional issuer. Some stock exchanges have identical id's, but different issuers. For examples:

id	issuer	shortcut id	stock exchange name
ETR		ETR	Xetra
OTC	BAAD	BAA	Baada bank on OTC
OTC	7649	LUS	Lang und Schwarz
OTC	7004		Commerzbank
OTC		OTC	Any issuer on OTC



### Useful

It's possible to use shortcut id, if it exists, to access to the same stock exchange. For example stock exchange ("OTC", "BAAD") equivalent to the stock exchange ("BAA", "")

These stock exchanges can be requested with help of **Get Stock Exchanges** function. As a result will delivered stock exchanges with names.

Example C#: `getStockExchanges()`

```
private readonly StockExchangeService.StockExchangeServiceClient
stockExchangeServiceClient;

public StockExchangeDescriptions GetStockExchanges()
{
    AccessTokenRequest request = new AccessTokenRequest() ①
    {
        AccessToken = _accessToken
    };
    return stockExchangeServiceClient.GetStockExchanges(request); ②
}
```

① Prepare request

## ② Call remote function



*Useful*

This information can be stored and reused in the user application.

## Get information about specific stock exchange

It's also possible to get information about one specific stock exchange. Next example shows how to request stock exchange information about Baada issuer on the OTC:

*Example C#: GetBaadaStockExchangeInformation()*

```
private readonly StockExchangeService.StockExchangeServiceClient
stockExchangeServiceClient;

public StockExchangeDescription GetBaadaStockExchangeInformation()
{
    StockExchange stockExchange = new StockExchange() ①
    {
        Id = "OTC",
        Issuer = "BAAD"
    };
    StockExchangeRequest request = new StockExchangeRequest() ②
    {
        AccessToken = _accessToken,
        StockExchange = stockExchange
    };
    return stockExchangeServiceClient.GetStockExchange(request); ③
}
```

- ① Prepare Baada on OTC stock exchange
- ② Prepare request
- ③ Request information about stock exchange

## Depot service

With help of the depot service is possible to stream information about depot entries. Depot service has next functions:

### Stream depot changes

*Table 4. DepotService*

Function	Description
<code>DepotEntries</code> ← <code>StreamDepot(TradingAccountRequest)</code>	Subscribes one trading account for the depot data updates  <b>@param</b> TradingAccount Trading account for push  <b>@stream</b> DepotEntries depot entries linked to the account
<code>Empty</code> = <code>UpdateDepot(TradingAccountRequest)</code>	Initiates depot update action. All changes come by the StreamDepot subscription. This function doesn't wait for the action result.  <b>@param</b> TradingAccount Trading account for update

*Example C#: StreamDepotData()*

```
private readonly DepotService.DepotServiceClient depotServiceClient;

private async Task StreamDepotData()
{
    var tradingAccounts = GetTradingAccounts(); ①
    DepotStreamer depotStreamer = new DepotStreamer(depotServiceClient); ②
    List<CancellationTokenSource> cancellationTokens = new List
<CancellationTokenSource>();
    foreach (var tradingAccount in tradingAccounts.Accounts) ③
    {
        var tradingAccountRequest = new TradingAccountRequest() ④
        {
            AccessToken = _accessToken,
            TradingAccount = tradingAccount
        };

        CancellationTokenSource tokenSource = new CancellationTokenSource(); ⑤
        cancellationTokens.Add(tokenSource);
        var stream = depotStreamer.Stream(tradingAccountRequest, ⑥
            depotEntries => Console.WriteLine( ⑦
                "Account:" + depotEntries.Account + ", Data:" + depotEntries),
            tokenSource.Token);
    }

    await Task.Delay(10000); ⑧

    foreach (var cancellationTokenSource in cancellationTokens) ⑨
    {
        cancellationTokenSource.Cancel();
    }
}
```

- ① Get trading accounts
- ② Create depot streamer
- ③ Iterate through all trading accounts
- ④ Create request

- ⑤ Create cancelation source (to stop streams)
- ⑥ Subscribe for stream, but don't wait for results
- ⑦ Process callback by data change (listen callback)
- ⑧ Wait, for tests proposals
- ⑨ Cancel all streams

Update events are delivered on each depot entry change and contain information about whole depot.

Example C#: *DepotObserver*

```
public class DepotStreamer :
    StreamObserver<DepotService.DepotServiceClient, TradingAccountRequest,
    DepotEntries> ①
{
    public DepotStreamer(DepotService.DepotServiceClient client) : ②
        base(client, (request, token) =>
            client.StreamDepot(request, null, null, token))
    {
    }
}
```

- ① Define class with client, request and reply types
- ② Request data from server

## Update depot

Sometime is necessary to update depot manually. To initiate this update you have to call **UpdateDepot** function. This function takes trading account as input parameter and doesn't deliver any results. It's also don't wait for the results. All changes are delivered directly to the depot listeners in the background.



### Warning

This function used for the compatibility proposals and can be removed in the future versions of the TAPI.

## Security service

### Securities access

All securities can be accessed with help of security codes. Typical trading securities codes are WKN and ISIN. TAPI is able to operate with additional security code types:

Security code type	Tradable	Description
WKN	Yes	WKN

Security code type	Tradable	Description
ISIN	Yes	ISIN
ID_NOTATION	No	FactSet id notation
ID_OSI	No	FactSet id osi
ID_INSTRUMENT	No	FactSet id instrument
MNEMONIC	No	German short id
MEMONIC_US	No	US short id (only for us instruments)

Security code can be created with help of next code.

Example C#: `GetSecurityCode()`

```
public SecurityCode GetSecurityCode(string code, SecurityCodeType codeType)
{
    return new SecurityCode() ①
    {
        Code = code, ②
        CodeType = codeType ③
    };
}
```

① Create `SecurityCode` object

② Set security code

③ Set security code type (WKN, ISIN, . . .). If type is not defined or unknown then please use **NoCodeType**



*Important*

In some cases TAPI can guess security code type by input security code value. In this case the security code type should be set to **NO\_CODE\_TYPE** value. Please care that's not guaranty right detection of the security code. The good practice is to use security code type by the building of the security code object.

Security service contains next functions:

Table 5. *SecurityService*

Function	Description
<code>SecurityInfoReply = GetSecurityInfo(SecurityInfoRequest)</code>	Gets security information about security <b>@param</b> SecurityInfoRequest Request object with interested security <b>@return</b> SecurityInfoReply Complete information about security

Function	Description
<a href="#">SecurityMarketDataReply</a> ← StreamMarketData( <a href="#">SecurityMarketDataRequest</a> )	Subscribes security with stock exchange for market data updates  <b>@param</b> SecurityMarketDataRequest Market data request with interested security and stock exchange  <b>@stream</b> SecurityMarketDataReply Reply with all market data values
<a href="#">SecurityOrderBookReply</a> ← StreamOrderBook( <a href="#">SecurityOrderBookRequest</a> )	Subscribes security with stock exchange for orderbook updates  <b>@param</b> SecurityOrderBookRequest Orderbook data request with interested security and stock exchange  <b>@stream</b> SecurityOrderBookReply Reply with all orderbook values
<a href="#">CurrencyRateReply</a> ← StreamCurrencyRate( <a href="#">CurrencyRateRequest</a> )	Subscribes for currency rate from one currency to another currency.  <b>@param</b> SecurityOrderBookRequest currency rate request with interested currencies from/to  <b>@stream</b> CurrencyRateReply reply with currency rate
<a href="#">SecurityPriceHistoryReply</a> = GetSecurityPriceHistory( <a href="#">SecurityPriceHistoryRequest</a> )	Requests history data for one security on one stockexchange in intraday or historical format  <b>@param</b> SecurityPriceHistoryRequest Data with security, stockexchange, how many days and resolution  <b>@return</b> SecurityPriceHistoryReply List of the historical quotes or an error

## Get security information

Security information can be requested with help of **GetSecurityInfo** function. As a result will delivered security name, class, codes and stock exchanges with trading possibilities. This information can be used by the ordering. It also contains data about tradability on the different markets and by different issuers. The flags [LimitToken](#) with values **QUOTE\_ONLY** and **LIMIT\_AND\_QUOTE** show if for the security is possible to use quote buy and sell on the selected market by the selected issuer. For more information please see [GetQuote](#) and [AcceptQuote](#) functions.

### Example C#: RequestSecurityInfo()

```
private readonly SecurityService.SecurityServiceClient securityServiceClient;

public SecurityInfoReply RequestSecurityInfo(string code, SecurityCodeType codeType)
{
    SecurityCode securityCode = new SecurityCode() ①
    {
        Code = code,
        CodeType = codeType
    };

    SecurityInfoRequest request = new SecurityInfoRequest() ②
    {
        AccessToken = _accessToken,
        SecurityCode = securityCode
    };

    return securityServiceClient.GetSecurityInfo(request); ③
}
```

- ① Create security code object
- ② Create `SecurityInfoRequest` request
- ③ Request security information

## Stream market data information

To get pushed market data (push courses) is need to subscribe security and stock exchange for this information with help of `StreamMarketData` function. `SecurityMarketDataReply` contains all values, which were changed.

### Example C#: StreamMarketData()

```
private readonly SecurityService.SecurityServiceClient securityServiceClient;

public CancellationTokenSource StreamMarketData(string code, SecurityCodeType
codeType,
    string stockExchange, string currency)
{
    SecurityWithStockExchange securityWithStockExchange = new
SecurityWithStockExchange() ①
    {
        SecurityCode = new SecurityCode() ②
        {
            Code = code,
            CodeType = codeType
        },
        StockExchange = new StockExchange() ③
        {
            Id = stockExchange
        }
    };

    SecurityMarketDataRequest request = new SecurityMarketDataRequest() ④
    {
        AccessToken = _accessToken,
        SecurityWithStockexchange = securityWithStockExchange,
        Currency = currency == null ? "" : currency
    };

    MarketDataStreamer marketDataStreamer =
        new MarketDataStreamer(securityServiceClient); ⑤

    CancellationTokenSource tokenSource = new CancellationTokenSource(); ⑥
    var task = marketDataStreamer.Stream( ⑦
        request,
        reply => Console.WriteLine("Process tick: " + reply), ⑧
        tokenSource.Token);

    return tokenSource; ⑨
}
```

- ① Create security with stock exchange object
- ② Create security code object
- ③ Create stock exchange
- ④ Create request
- ⑤ Create streamer
- ⑥ Create cancel token source
- ⑦ Start processing **in background**

- ⑧ Process tick
- ⑨ Return cancel token source

An example how it can be called is to see in the next example:

*Example C#: ProcessMarketDataExample()*

```
public void ProcessMarketDataExample()
{
    CancellationTokenSource tokenSource = ①
        StreamMarketData("710000", SecurityCodeType.Wkn, "OTC", "");

    System.Threading.Thread.Sleep(1000); ②

    tokenSource.Cancel(); ③
}
```

- ① Call function synchronically and get cancel token source
- ② Wait a while. Events from subscription should be processed
- ③ Cancel streaming

Update events deliver changed market data values.

To subscribe for the market data information it is necessary to create **SecurityWithStockExchange** object.

*Example C#: GetSecurityWithStockExchange()*

```
public SecurityWithStockExchange GetSecurityWithStockExchange(string code,
    SecurityCodeType codeType,
    string stockExchange, string issuer = "")
{
    return new SecurityWithStockExchange() ①
    {
        SecurityCode = new SecurityCode() ②
        {
            Code = code,
            CodeType = codeType
        },
        StockExchange = new StockExchange() ③
        {
            Id = stockExchange,
            Issuer = issuer == null ? "" : issuer
        }
    };
}
```

- ① Create security with stock exchange object
- ② Create security code object

### ③ Create stock exchange

## Stream orderbook data

To get pushed orderbook data (second level push courses) is need to subscribe security and stockexchange for this information with help of **StreamOrderBook** function. **SecurityOrderBookReply** contains actual orderbook values. To create **SecurityOrderBookRequest** is need to create **SecurityWithStockExchange** object first. Currently order book data supported only on Xetra stock exchange.

Example C#: *StreamOrderBook()*

```
private readonly SecurityService.SecurityServiceClient securityServiceClient;

public CancellationTokenSource StreamOrderBook(string code, SecurityCodeType codeType,
    string stockExchange, string currency)
{
    SecurityWithStockExchange securityWithStockExchange = new
    SecurityWithStockExchange() ①
    {
        SecurityCode = new SecurityCode() ②
        {
            Code = code,
            CodeType = codeType
        },
        StockExchange = new StockExchange() ③
        {
            Id = stockExchange
        }
    };

    SecurityOrderBookRequest request = new SecurityOrderBookRequest() ④
    {
        AccessToken = _accessToken,
        SecurityWithStockexchange = securityWithStockExchange,
        Currency = currency == null ? "" : currency
    };

    OrderBookStreamer orderBookStreamer =
        new OrderBookStreamer(securityServiceClient); ⑤

    CancellationTokenSource tokenSource = new CancellationTokenSource(); ⑥
    var task = orderBookStreamer.Stream( ⑦
        request,
        reply => Console.WriteLine("Process tick: " + reply), ⑧
        tokenSource.Token);

    return tokenSource; ⑨
}
```

- ① Create security with stock exchange object
- ② Create security code object
- ③ Create stock exchange
- ④ Create request
- ⑤ Create streamer
- ⑥ Create cancel token source
- ⑦ Start processing **in background**
- ⑧ Process tick
- ⑨ Return cancel token source

*Example C#: ProcessOrderBookExample()*

```
public void ProcessOrderBookExample()
{
    CancellationTokenSource tokenSource = ①
        StreamOrderBook("710000", SecurityCodeType.Wkn, "ETR", "");

    System.Threading.Thread.Sleep(1000); ②

    tokenSource.Cancel(); ③
}
```

- ① Call function synchronically and get cancel token source
- ② Wait a while. Events from subscription should be processed
- ③ Cancel streaming

*Example C#: OrderBookStreamer*

```
class OrderBookStreamer : ①
    StreamObserver<SecurityService.SecurityServiceClient, SecurityOrderBookRequest,
    SecurityOrderBookReply>
{
    public OrderBookStreamer(SecurityService.SecurityServiceClient client) : ②
        base(client, (request, token) => client.StreamOrderBook(request, null, null,
    token))
    { }
}
```

- ① Define class with client, request and reply types
- ② Request data from server

## Stream currency rate

It is possible to get pushed currency rate from one currency to other. This information can be used

for the realtime conversion of the money values.



*Important*

For the market data quotes / order books it is possible to define target currency. In this case the conversion will be processed automatically.

*Example C#: StreamCurrencyRate()*

```
private readonly SecurityService.SecurityServiceClient securityServiceClient;

public CancellationTokenSource StreamCurrencyRate(string currencyFrom, string
currencyTo)
{
    CurrencyRateRequest request = new CurrencyRateRequest() ①
    {
        AccessToken = _accessToken,
        CurrencyFrom = currencyFrom,
        CurrencyTo = currencyTo
    };

    CurrencyRateStreamer currencyRateStreamer =
        new CurrencyRateStreamer(securityServiceClient); ②

    CancellationTokenSource tokenSource = new CancellationTokenSource(); ③
    var task = currencyRateStreamer.Stream( ④
        request,
        reply => Console.WriteLine("Process tick: " + reply), ⑤
        tokenSource.Token);

    return tokenSource; ⑥
}
```

- ① Create request
- ② Create streamer
- ③ Create cancel token source
- ④ Start processing **in background**
- ⑤ Process tick
- ⑥ Return cancel token source

### Example C#: CurrencyRateDataObserver

```
class CurrencyRateStreamer : ①
    StreamObserver<SecurityService.SecurityServiceClient, CurrencyRateRequest,
    CurrencyRateReply>
{
    public CurrencyRateStreamer(SecurityService.SecurityServiceClient client) : ②
        base(client, (request, token) => client.StreamCurrencyRate(request, null,
        null, token))
        { }
    }
}
```

① Define class with client, request and reply types

② Request data from server

## Get security historic data

Security historic data can be requested with help of `getSecurityPriceHistory()` function. As a result will delivered security with stock exchange, currency, historic data list. The parameter **days** defines how many trading day will be requested. For intraday types of the time resolution this value should be **15 or less**. Be careful the amount of the data can be very big, especially for intraday data with tick resolution.

### Example C#: GetSecurityPriceHistory()

```
private readonly SecurityService.SecurityServiceClient securityServiceClient;

public SecurityPriceHistoryReply GetSecurityPriceHistory(string code, SecurityCodeType
codeType,
    string stockExchange, int days, TimeResolution timeResolution)
{
    var securityWithStockExchange = ①
        GetSecurityWithStockExchange(code, codeType, stockExchange);
    SecurityPriceHistoryRequest request = new SecurityPriceHistoryRequest() ②
    {
        AccessToken = _accessToken,
        SecurityWithStockexchange = securityWithStockExchange,
        Days = days,
        TimeResolution = timeResolution
    };

    return securityServiceClient.GetSecurityPriceHistory(request); ③
}
```

① Create security with stock exchange object

② Create request

③ Call function



### Important

Last example will block program execution until the result is returned. Sometimes to avoid timeouts by the listening it's better to use non blocking calls.

## Order service

With help of the order service is possible to execute, change, activate, deactivate or cancel orders. It's also allow to listen for the orders and to control them asynchronously.

### Order types and parameters

TAPI allows to execute different order types on the stock exchanges with different parameters. Next tables shows what parameters are necessary (x) and optional (o) depends from selected stock exchange and order model. The full list of order possibilities is delivered by the [GetSecurityInformation](#) function.

Parameter \ Order model	Market	Limit	StopMarket	StopLimit	OneCancelsOtherMarket	OneCancelsOtherLimit	TrailingStopMarket	TrailingStopLimit
account_number	x	x	x	x	x	x	x	x
security_with_stockexchange	x	x	x	x	x	x	x	x
order_type	x	x	x	x	x	x	x	x
amount	x	x	x	x	x	x	x	x
order_supplement	o, 1)	o, 1)						
validity_date	x	x	x	x	x	x	x	x
limit		x			x	x		
stop			x	x	x	x	x	x
stop_limit				x		x		
trailing_distance							x	x
trailing_notation							x	x
trailing_limit_tolerance								x, 2)

Parameter \ Order model	Market	Limit	StopMarket	StopLimit	OneCancelsOtherMarket	OneCancelsOtherLimit	TrailingStopMarket	TrailingStopLimit
dripping_quantity	o, 3)	o, 3)						
position_id	o, 4)	o, 4)	o, 4)	o, 4)	o, 4)	o, 4)	o, 4)	o, 4)
validation	o, 5)	o, 5)	o, 5)	o, 5)	o, 5)	o, 5)	o, 5)	o, 5)
cash_quotation	o, 6)	o, 6)	o, 6)	o, 6)	o, 6)	o, 6)	o, 6)	o, 6)
risk_class_override	o	o	o	o	o	o	o	o
target_market_override	o	o	o	o	o	o	o	o
tax_nontransparent_override	o	o	o	o	o	o	o	o
accept_additional_fees	o	o	o	o	o	o	o	o
closed_realestate_fond_override	o	o	o	o	o	o	o	o

- ① Stock exchange: ETR only, values: IMMEDIATE\_OR\_CANCEL, FILL\_OR\_KILL, ICEBERG
- ② Stock exchange: TRG only
- ③ Stock exchange: ETR only, when order\_supplement equals ICEBERG, pro only
- ④ Position id is optional field by the order action with existing depot position
- ⑤ Default value: **WITHOUT\_VALIDATION**. Order is routed directly to market
- ⑥ Cash quotation:

Stock exchange	NOTHING	KASSA	AUCTION	OPENING	INTRADAY	CLOSING
ETR	x	x	x	x	x	x
German	x	x				
Other	x					

The full list of the order service functions can be checked in the next list. Some functionality available only in pro version of the ActiveTrader.



### Important

To execute new order is need at least to fill all madatory fields. See **x** values in the each column for selected order model.

## Stream orders

To get information about current orders ist need to subscribe for this information with help of StreamOrders function. All order changes will come asynchronously as a list of the all avialable orders.



### Useful

An amount of the updated orders can be configured in the ActiveTrader general settings.

### Example C#: StreamOrders()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public CancellationTokenSource StreamOrders(TradingAccount tradingAccount)
{
    TradingAccountRequest request = new TradingAccountRequest() ①
    {
        AccessToken = _accessToken,
        TradingAccount = tradingAccount
    };

    OrdersStreamer ordersStreamer = new OrdersStreamer(orderServiceClient); ②

    CancellationTokenSource tokenSource = new CancellationTokenSource(); ③

    var task =ordersStreamer.Stream( ④
        request,
        reply => Console.WriteLine("Process orders: " + reply), ⑤
        tokenSource.Token);

    return tokenSource; ⑥
}
```

- ① Create request
- ② Create streamer
- ③ Create cancel token source
- ④ Start processing **in background**
- ⑤ Process tick
- ⑥ Return cancel token source

## Example C#: OrdersStreamer

```
class OrdersStreamer : ①
    StreamObserver<OrderService.OrderServiceClient, TradingAccountRequest, Orders>
{
    public OrdersStreamer(OrderService.OrderServiceClient client) : ②
        base(client, (request, token) => client.StreamOrders(request, null, null,
token))
    { }
}
```

① Define class with client, request and reply types

② Request data from server



### Important

In the pro version of the ActiveTrader **order number** value can be changed (for example after activation / deactivation of the order). To match saved in the client application orders with the orders from update is need to use `unique_id` field from the [Order](#) object.

## Update orders

Sometime is necessary to update orders manually. To initiate this update you have to call **UpdateOrders** function. This function takes trading account as input parameter and doesn't deliver any results. It's also don't wait for the results. All changes are delivered directly to the orders listeners in the background.



### Warning

This function used for the compatibility proposals and can be removed in the future versions of the TAPI.

## Get securities quotes

Before to execute order add action is often necessary to get actual quote information for the selected security. This information can be subscribed in the security service or requested in the order service. It's not a matter where this information is requested for the normal order add action, but it's important in case if you want to process accept quote on the short term market. In this case is necessary to use get quote function from order service.



### Important

Please call get quote function before to call of the accept order action.

### Example C#: RequestQuotesDirect()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public void RequestQuotesDirect(string code, SecurityCodeType codeType)
{
    QuoteRequest request = new QuoteRequest() ①
    {
        AccessToken = _accessToken,
        OrderType = OrderType.Buy,
        SecurityCode = new SecurityCode()
        {
            Code = code,
            CodeType = codeType
        },
        Amount = 10,
        StockExchanges =
        {
            GetStockExchange("BAA"), ②
            GetStockExchange("OTC"),
            GetStockExchange("TRG")
        }
    };

    QuoteReply quoteReply = orderServiceClient.GetQuote(request); ③

    if (quoteReply.Error == null) ④
    {
        foreach (var quoteEntry in quoteReply.PriceEntries) ⑤
        {
            if (quoteEntry.Error == null) ⑥
            {
                Console.WriteLine("Quote: " + quoteEntry);
            }
            else
            {
                Console.WriteLine("Error: "+quoteEntry.Error);
            }
        }
    }
}
```

① Prepare request

② Set requested stock exchanges

③ Process request

④ Check requests errors

⑤ Iterate results

## ⑥ Check results errors

Other difference between quotes from the security service and order service is that it's depended from user rights. An order service can have limited amount of the requests for the long terms stockexchanges. You can request data more then from one stock exchange for one security at once. In this case function returns all results for all requested stock exchanges after processing of all data for each stock exchange. That can follow to the timeouts by the functions calls. You can use asychronical requests if to don't have timeouts is important. It's also possible to process many get quote requests in parallel and pack to each request only one stockexchange. The results from the requests can be processed in background.

*Example C#: RequestQuotesAsynchronously()*

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public QuoteReply RequestQuotesAsynchronously(string code, SecurityCodeType codeType)
{
    SecurityCode securityCode = new SecurityCode() ①
    {
        Code = code,
        CodeType = codeType
    };
    StockExchange[] stockExchanges = ②
    {
        GetStockExchange("BAA"),
        GetStockExchange("OTC"),
        GetStockExchange("TRG")
    };

    CountdownEvent countdown = new CountdownEvent(3); ③
    object resultsLock = new object();
    QuoteReply reply = null;

    foreach (var stockExchange in stockExchanges) ④
    {
        QuoteRequest request = new QuoteRequest() ⑤
        {
            AccessToken = _accessToken,
            OrderType = OrderType.Buy,
            Amount = 10,
            SecurityCode = securityCode,
            StockExchanges = {stockExchange}
        };

        var taskAwaiter = orderServiceClient.GetQuoteAsync(request).GetAwaiter(); ⑥
        taskAwaiter.OnCompleted(() => ⑦
        {
            QuoteReply currentReply = taskAwaiter.GetResult(); ⑧
            lock (resultsLock)
            {
                if (currentReply != null &&
```


```

        currentReply.Error == null &&
        currentReply.PriceEntries.Count>0)
    {
        // Find lowest buy price
        if (reply == null ||
            currentReply.PriceEntries[0].BuyPrice < reply.PriceEntries[0]
.BuyPrice)
        {
            reply = currentReply;
        }
    }
    }
    countdown.Signal();
});
}
countdown.WaitHandle.WaitOne(); ⑨
return reply;
}

```

- ① Prepare security code
- ② Prepare stock exchanges
- ③ Prepare count down counter (to process 3 requests)
- ④ Iterate all stock exchanges
- ⑤ Create request
- ⑥ Start request in background and get awaiter to listen for the results
- ⑦ Create continuation to process results
- ⑧ Get result, select one with lowest buy price, send signal to the countdown to reduce amount of the active requests
- ⑨ Listen for the countdown.

Main execution thread starts requests to process them in the background and wait for the results. It's possible to modify the code to provide fully background processing.



## Accept quote

To place an order on the short term market is necessary to request quote first. If **QuoteEntry** will contain filled **quote\_reference** field then it's possible to place order with help of accept quote function to the short term market. Otherwise accept quote is not possible. By the calling of the accept quote function you have to use same parameters as you used for the get quote. Otherwise the request parameters will be denied and the action will be finished with an error.

Example C#: *AcceptQuote()*

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply AcceptQuote(string code, SecurityCodeType codeType)
{
    var stockExchange = GetStockExchange("OTC");
    var securityCode = new SecurityCode()
    {
        Code = code,
        CodeType = codeType
    };
    QuoteRequest request = new QuoteRequest() ①
    {
        AccessToken = _accessToken,
        OrderType = OrderType.Buy,
        SecurityCode = securityCode,
        Amount = 10,
        StockExchanges =
        {
            stockExchange,
        }
    };

    QuoteReply quoteReply = orderServiceClient.GetQuote(request); ②
    if (quoteReply != null &&
        quoteReply.Error != null)
    {
        var quoteReplyPriceEntry = quoteReply.PriceEntries[0];
        if (quoteReplyPriceEntry.Error != null && ③
            quoteReplyPriceEntry.QuoteReference != null)
        {
            AcceptQuoteRequest acceptQuoteRequest = new AcceptQuoteRequest() ④
            {
                AccessToken = _accessToken,
                AccountNumber = "123456789",
                OrderType = OrderType.Buy,
                SecurityWithStockexchange = new SecurityWithStockExchange()
                {
                    SecurityCode = securityCode,
                    StockExchange = stockExchange
                },
                Amount = 10,
            }
        }
    }
}
```

```

        Validation = Validation.ValidateOnly,
        Limit = quoteReplyPriceEntry.BuyPrice, ⑤
        QuoteReference = quoteReplyPriceEntry.QuoteReference ⑥
    };
    return orderServiceClient.AcceptQuote(acceptQuoteRequest); ⑦
}
}
return null;
}

```

- ① Prepare get quote request
- ② Call get quote function
- ③ Check quote result (it should be only one quote) and we have quote reference
- ④ Create accept quote request
- ⑤ Set limit with the data from quote reply
- ⑥ Set quote reference from quote reply
- ⑦ Process accept quote request



#### *Warning*

By default **validation** parameter equals **WITHOUT\_VALIDATION** and accept quote request will directly routed to the market. If you want only check a validity of the request, then you need to set **validation** parameter to **VALIDATE\_ONLY**. An order will validated by the backend system, but will not be routed to the market. It's very useful for the test goals. Order number in the reply in this case is undefined.

## Add order

To put new order to the long term market is necessary to use **AddOrder** function. This function takes **AddOrderRequest** as an input parameter and returns **OrderReply** as a result. Typically this function is called with blocked stub, but it can also be used with non blocking stub if more than one order needs to be executed in parallel.

The possible parameter combinations can be fetched from security information reply. There are defined order possibilities for defined markets.

Pro version of the ActiveTrader allows to use additional flag **inactive**. If this flag is set to the value **true** then order is placed to the system, but isn't routed to the market. With the help of [ActivateOrder](#) function an order can be activated.



#### *Important*

It's important to fill only parameters that need for the order execution

### Example C#: AddOrder()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public Date GetTodayDate()
{
    DateTime localDate = DateTime.Now;
    return new Date()
    {
        Day = localDate.Day,
        Month = localDate.Month,
        Year = localDate.Year
    };
}

public OrderReply AddOrder(TradingAccount tradingAccount)
{
    if (tradingAccount != null)
    {
        AddOrderRequest request = new AddOrderRequest()
        {
            AccessToken = _accessToken,
            AccountNumber = tradingAccount.AccountNumber, ①
            SecurityWithStockexchange = new SecurityWithStockExchange() ②
            {
                SecurityCode = new SecurityCode()
                {
                    Code = "710000",
                    CodeType = SecurityCodeType.Wkn
                },
                StockExchange = GetStockExchange("OTC")
            },
            Validation = Validation.ValidateOnly, ③
            Amount = 1,
            OrderModel = OrderModel.Limit, ④
            Limit = 1,
            OrderType = OrderType.Buy, ⑤
            CashQuotation = CashQuotation.Kassa,
            ValidityDate = GetTodayDate() ⑥
        };
        return orderServiceClient.AddOrder(request); ⑦
    }

    return null;
}
```

① Set trading account

② Set security with stock exchange

③ Set validation flag

- ④ Set order model
- ⑤ Set order type
- ⑥ Set validity date
- ⑦ Process order add



#### *Warning*

By default **validation** parameter equals **WITHOUT\_VALIDATION** and accept quote request will directly routed to the market. If you want only check a validity of the request, then you need to set **validation** parameter to **VALIDATE\_ONLY**. An order will validated by the backend system, but will not be routed to the market. It's very useful for the test goals. Order number in the reply in this case is undefined.

## Change order

To change order is necessary to have order number of existing order and an account with this order linked to. The order can be changed if the status of the orders allows that and new state is allowed by the markt.



#### *Useful*

Sometimes can happens that order is changed / executed on the market, but status information is not delivered into the application.

### Example C#: ChangeOrder()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply ChangeOrder(Order order, TradingAccount tradingAccount)
{
    if (order != null && tradingAccount != null)
    {
        string orderNumber = order.OrderNumber;
        if (orderNumber != null && !orderNumber.Equals(""))
        {
            ChangeOrderRequest request = new ChangeOrderRequest() ①
            {
                AccessToken = _accessToken,
                AccountNumber = tradingAccount.AccountNumber, ②
                OrderNumber = orderNumber, ③
                Validation = Validation.ValidateOnly, ④
                OrderModel = OrderModel.Limit, ⑤
                Limit = 2
            };

            return orderServiceClient.ChangeOrder(request); ⑥
        }
    }
    return null;
}
```

- ① Create request
- ② Set account number
- ③ Set order number
- ④ Set validation flag
- ⑤ Set new limit
- ⑥ Process change order



#### Warning

By default **validation** parameter equals **WITHOUT\_VALIDATION** and accept quote request will directly routed to the market. If you want only check a validity of the request, then you need to set **validation** parameter to **VALIDATE\_ONLY**. An order will validated by the backend system, but will not be routed to the market. It's very useful for the test goals.

## Cancel order

To cancel order is necessary to have order number of existing order and an account with this order linked in. The order can be canceled if the status of the orders allows that.

### Example C#: CancelOrder()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply CancelOrder(Order order, TradingAccount tradingAccount)
{
    if (order != null && tradingAccount != null)
    {
        string orderNumber = order.OrderNumber;
        if (orderNumber != null && !orderNumber.Equals(""))
        {
            CancelOrderRequest request = new CancelOrderRequest() ①
            {
                AccessToken = _accessToken,
                AccountNumber = tradingAccount.AccountNumber, ②
                OrderNumber = orderNumber, ③
                Validation = Validation.ValidateOnly, ④
            };

            return orderServiceClient.CancelOrder(request); ⑤
        }
    }
    return null;
}
```

- ① Create request
- ② Set account number
- ③ Set order number
- ④ Set validation flag
- ⑤ Process change order



#### Warning

By default **validation** parameter equals **WITHOUT\_VALIDATION** and accept quote request will directly routed to the market. If you want only check a validity of the request, then you need to set **validation** parameter to **VALIDATE\_ONLY**. An order will validated by the backend system, but will not be routed to the market. It's very useful for the test goals.

## Activate order

Activate order function used to activate inactive order and route an order to the market. This function available only in pro version of the ActiveTrader.

### Example C#: ActivateOrder()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply ActivateOrder(Order order, TradingAccount tradingAccount)
{
    if (order != null && tradingAccount != null)
    {
        string orderNumber = order.OrderNumber;
        if (orderNumber != null && !orderNumber.Equals(""))
        {
            ActivateOrderRequest request = new ActivateOrderRequest() ①
            {
                AccessToken = _accessToken,
                AccountNumber = tradingAccount.AccountNumber, ②
                OrderNumber = orderNumber, ③
                Validation = Validation.ValidateOnly, ④
            };

            return orderServiceClient.ActivateOrder(request); ⑤
        }
    }
    return null;
}
```

- ① Create request
- ② Set account number
- ③ Set order number
- ④ Set validation flag
- ⑤ Process change order

## Deactivate order

Deactivate order function used to deactivate active order and remove an order from the market. This function available only in pro version of the ActiveTrader.

### Example C#: DeactivateOrder()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply DeactivateOrder(Order order, TradingAccount tradingAccount)
{
    if (order != null && tradingAccount != null)
    {
        string orderNumber = order.OrderNumber;
        if (orderNumber != null && !orderNumber.Equals(""))
        {
            DeactivateOrderRequest request = new DeactivateOrderRequest() ①
            {
                AccessToken = _accessToken,
                AccountNumber = tradingAccount.AccountNumber, ②
                OrderNumber = orderNumber, ③
                Validation = Validation.ValidateOnly, ④
            };

            return orderServiceClient.DeactivateOrder(request); ⑤
        }
    }
    return null;
}
```

- ① Create request
- ② Set account number
- ③ Set order number
- ④ Set validation flag
- ⑤ Process change order

## Order costs

### BaFin Rules

The law allows to execute orders only after requesting of the order costs with a possibility to decline order in the case if order costs are not accepted. That follows to request order cost before order execution. **The order execution without requesting of the order costs is not allowed.**

### Processing of the order costs

You can request an information about estimated order costs in [AddOrderRequest](#) and [AcceptQuoteRequest](#).



#### Warning

[OrderCost](#) contains **only estimated values**. The real values are depended from real execution quotes, time of the execution and other parameters.


To request cost information is need to execute orders requests with **Validation** values **VALIDATE\_WITH\_TOTAL\_COSTS**, **TOTAL\_COST\_ONLY** or **VALIDATE\_WITH\_DETAIL\_COSTS**. In first and second cases only total or aggregated costs are calculated. In second case detail information about costs is delivered. In all cases only validation of the request is happened, without real execution. To execute order you have to repeat same request with **Validation WITHOUT\_VALIDATION** type.



*Important*


During preparation phase **TOTAL\_COST\_ONLY** validation type can be replaced with **VALIDATE\_WITH\_TOTAL\_COSTS** type.

**All order costs can be checked in the online archive.**



**Error handling**

If no costs are available or costs information is outdated then by the order execution will be return **ORD\_COSTS\_ABSENT\_ERR** error. In such cases is necessary to repeat order costs request and order execution request.



### Useful



To speed up order execution and save time by the order placement it's possible to prepare and validate order with **VALIDATE\_WITH\_TOTAL\_COSTS** or **TOTAL\_COST\_ONLY** flags and some time later execute the same order with **WITHOUT\_VALIDATION** flag. The host system will recognize parameters of the order and will forward order directly to the market. Otherwise to fulfil all BaFin requirements host system will request order costs before the order execution. In the each case the information about order costs will be placed into online archive before the order execution.



### Warning

This request doesn't send order to the market, but validates only. As the result no real order is placed into the system.

Example C#: GetOrderCosts()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

OrderReply GetOrderCosts(TradingAccount tradingAccount)
{
    AddOrderRequest request = new AddOrderRequest()
    {
        AccessToken = _accessToken,
        AccountNumber = tradingAccount.AccountNumber, ①
        SecurityWithStockexchange = new SecurityWithStockExchange() ②
        {
            SecurityCode = new SecurityCode()
            {
                Code = "710000",
                CodeType = SecurityCodeType.Wkn
            },
            StockExchange = GetStockExchange("OTC")
        },
        Validation = Validation.ValidateWithTotalCosts, ③
        // Validation = Validation.ValidateWithDetailCosts,
        Amount = 1,
        OrderModel = OrderModel.Limit, ④
        Limit = 1,
        OrderType = OrderType.Buy, ⑤
        CashQuotation = CashQuotation.Kassa,
        ValidityDate = GetTodayDate() ⑥
    };
    OrderReply orderReply = orderServiceClient.AddOrder(request); ⑦

    if (orderReply.Error != null)
    {
        OrderCosts orderCosts = orderReply.OrderCosts; ⑧
        double estimatedCosts = orderCosts.EstimatedTotalCosts;
        foreach (var categorieCost in orderCosts.CategorieCosts) ⑨
        {
            double totalSubAbsolute = categorieCost.TotalSumAbsolute;
            // ...
        }
    }

    Console.WriteLine("Costs reply:"+orderReply);
    return orderReply;
}
```

① Set account number

② Set security with stock exchange

③ Set validation (It should be ValidateWithTotalCosts or ValidateWithDetailCosts)

④ Set order model

- ⑤ Set order type
- ⑥ Set validity date
- ⑦ Process request
- ⑧ Extract order costs
- ⑨ Check costs by the categorie

### Early request of the order costs



#### Useful

It's possible to prepare an order for the execution and keep an information about order costs for the future execution without additional checks. This information will be cached in the application and reused by the real order execution. No additional steps will be performed. All data about order costs will be (additionally) available in the online archive.

It's important to understand that sometime costs information can be obsolete. In this case an order execution will be failed with the error **ORD\_COSTS\_NOT\_REQUESTED**. In such cases is need to repeat order costs request and order execution request.

#### Example C#: AddOrderWithCostsRequest()

```
private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply AddOrderWithCostsRequest(TradingAccount tradingAccount)
{
    if (tradingAccount != null)
    {
        AddOrderRequest costsRequest = new AddOrderRequest() ①
        {
            AccessToken = _accessToken,
            AccountNumber = tradingAccount.AccountNumber,
            SecurityWithStockexchange = new SecurityWithStockExchange() ②
            {
                SecurityCode = new SecurityCode()
                {
                    Code = "710000",
                    CodeType = SecurityCodeType.Wkn
                },
                StockExchange = GetStockExchange("OTC")
            },
            Validation = Validation.TotalCostsOnly, ③
            Amount = 1,
            OrderModel = OrderModel.Limit,
            Limit = 1,
            OrderType = OrderType.Buy, ④
            CashQuotation = CashQuotation.Kassa,
            ValidityDate = GetTodayDate()
        }
    }
}
```

```

};

OrderReply costsReply = orderServiceClient.AddOrder(costsRequest); ⑤
if (costsReply.Error != null) ⑥
{
    Console.WriteLine(costsReply.Error);
    return costsReply;
}

AddOrderRequest request = new AddOrderRequest() ⑦
{
    AccessToken = _accessToken,
    AccountNumber = tradingAccount.AccountNumber,
    SecurityWithStockexchange = new SecurityWithStockExchange()
    {
        SecurityCode = new SecurityCode()
        {
            Code = "710000",
            CodeType = SecurityCodeType.Wkn
        },
        StockExchange = GetStockExchange("OTC")
    },
    Validation = Validation.WithoutValidation, ⑧
    Amount = 1,
    OrderModel = OrderModel.Limit,
    Limit = 1,
    OrderType = OrderType.Buy,
    CashQuotation = CashQuotation.Kassa,
    ValidityDate = GetTodayDate()
};
return orderServiceClient.AddOrder(request); ⑨
}

return null;
}

```

- ① Prepare costs request
- ② Prepare stock exchange
- ③ Use total costs only
- ④ Set order parameters
- ⑤ Process costs calculation request
- ⑥ Check errors
- ⑦ Prepare execution request
- ⑧ Prepare real order add request (**Warning real execution**)
- ⑨ Process order execution

*Example C#: AcceptQuoteWithCostsRequest()*

```

private readonly OrderService.OrderServiceClient orderServiceClient;

public OrderReply AcceptQuoteWithCostsRequest(string code, SecurityCodeType codeType)
{
    var stockExchange = GetStockExchange("OTC");
    var securityCode = new SecurityCode()
    {
        Code = code,
        CodeType = codeType
    };
    AcceptQuoteRequest acceptQuoteCostsRequest = new AcceptQuoteRequest() ①
    {
        AccessToken = _accessToken,
        AccountNumber = "123456789",
        OrderType = OrderType.Buy,
        SecurityWithStockexchange = new SecurityWithStockExchange()
        {
            SecurityCode = securityCode,
            StockExchange = stockExchange
        },
        Validation = Validation.TotalCostsOnly, ②
        Amount = 10, ③
    };
    OrderReply costsReply = orderServiceClient.AcceptQuote(acceptQuoteCostsRequest);
    ④

    if (costsReply.Error != null) ⑤
    {
        Console.WriteLine(costsReply.Error);
        return costsReply;
    }

    // Sometimes later
    QuoteRequest request = new QuoteRequest() ⑥
    {
        AccessToken = _accessToken,
        OrderType = OrderType.Buy,
        SecurityCode = securityCode,
        Amount = 10,
        StockExchanges =
        {
            stockExchange,
        }
    };

    QuoteReply quoteReply = orderServiceClient.GetQuote(request); ⑦
    if (quoteReply != null &&
        quoteReply.Error != null)
    {
        var quoteReplyPriceEntry = quoteReply.PriceEntries[0];
    }
}

```

```

if (quoteReplyPriceEntry.Error != null &&
    quoteReplyPriceEntry.QuoteReference != null)
{
    AcceptQuoteRequest acceptQuoteRequest = new AcceptQuoteRequest() ⑧
    {
        AccessToken = _accessToken,
        AccountNumber = "123456789",
        OrderType = OrderType.Buy,
        SecurityWithStockexchange = new SecurityWithStockExchange()
        {
            SecurityCode = securityCode,
            StockExchange = stockExchange
        },
        Amount = 10,
        Validation = Validation.WithoutValidation, ⑨
        Limit = quoteReplyPriceEntry.BuyPrice, ⑩
        QuoteReference = quoteReplyPriceEntry.QuoteReference ⑪
    };
    return orderServiceClient.AcceptQuote(acceptQuoteRequest); ⑫
}
return null;
}

```

- ① Prepare costs request
- ② Set validation only with total costs
- ③ Limit is optional, Quote reference can be empty
- ④ Process costs calculation request
- ⑤ Check errors
- ⑥ Prepare quote request
- ⑦ Process quote request
- ⑧ Prepare accept quote request
- ⑨ Set validation (**Warning real execution**)
- ⑩ Set order parameters
- ⑪ Set quote reference
- ⑫ Process order execution

## Errors

Error code	Target	Description
ACC_NOT_TRADING_ERR	Ordering	Process order with not trading account
ACC_NOT_VALID_ERR	Ordering	Process order with invalid account

<b>Error code</b>	<b>Target</b>	<b>Description</b>
ORD_ACTIVE_ERR	Ordering	Inactivate order in non pro version
ORD_AMOUNT_ERR	Ordering	Orders amount is not changable for selected order
ORD_DRIPPING_QUANTITY_ERR	Ordering	Dripping quantity error
ORD_COSTS_ERR	Ordering	Order costs information unavialable
ORD_COSTS_ABSENT_ERR	Ordering	Order costs information is not cached.
ORD_LIMIT_ERR	Ordering	Limit field is invalid
ORD_MODEL_ERR	Ordering	Order model is wrong
ORD_NOT_CANCELABLE_ERR	Ordering	Order is not cancelable
ORD_NOT_KNOWN_ERR	Ordering	Order is not known by the system
ORD_STOP_ERR	Ordering	Order stop is not changable
ORD_STOP_LIMIT_ERR	Ordering	Stop limit is not changable
ORD_TRALING_DISTANCE_ERR	Ordering	Traling distance is not changable
ORD_TRALING_LIMIT_TOLERENCE_ERR	Ordering	Traling limit tolerance is not changable
ORD_VALIDITY_DATE_ERR	Ordering	Validity date is not changable
ORD_WRONG_PRICE_TICKET_ERR	Ordering	Price ticket is not correct for this accept quote
ORD_QUOTE_ERR	Ordering	Quote is not valid
ORD_VALIDATION_ERR	Ordering	Selected validation can not be use for this request
ORD_COSTS_NOT_REQUESTED	Ordering	Costs are not requested before order or costs information is old
STK_NOT_FOUND_ERR	Stocks	Stock exchange is unknown
INTERNAL_ERR	System	Internal engine error
SYSTEM_ERR	System	GRPC error
UNSUPPORTED_OPERATION_ERR	System	Operation is not supported

## Objects and types description

### AcceptQuoteRequest

Accept quote request represents information about one order that should be placed on the short

term market

Field	Type	Description
access_token	string	Access token
account_number	string	Trading account number
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security code with stock exchange
order_type	<a href="#">OrderType</a>	Order type. It should be relevant to the requested GetQuoteRequest
amount	double	Amount, It should be relevant to the requested GetQuoteRequest
limit	double	Limit
quote_reference	string	Quote reference from GetQuoteRequest
validation	<a href="#">Validation</a>	Validation flag. If value is WITHOUT_VALIDATION then backend system sends order actions directly to the market. If value is VALIDATE_ONLY then backend system doesn't send order actions to the market, but validate order parameters. If value is VALIDATE_WITH_TOTAL_COSTS then order will be validated by backend system and request total costs for the order. If value is VALIDATE_WITH_DETAIL_COSTS then order will be validated by backend system and request detail costs for the order.
risk_class_override	bool	Risk class override flag. If true then allows override user risk class
target_market_override	bool	Target market override flag. If true then allows override target market
tax_nontransparent_override	bool	Tax non transparent override flag. If true then allows override tax intransparency
accept_additional_fees	bool	Accept additional fees flag. If true then allows accept non transparent fees

## AccessTokenRequest

Access token request contains an access token data

Field	Type	Description
access_token	string	Access token

## ActivateOrderRequest

Activate order request represents information for activation of one inactive order pro only

Field	Type	Description
access_token	string	Access token
account_number	string	Trading account number
order_number	string	Order number for that this changes should be accepted
validation	Validation	Validation flag. This request allows only <b>WITHOUT_VALIDATION</b> and <b>VALIDATE_ONLY</b> values. If value is <b>WITHOUT_VALIDATION</b> then backend system sends order actions directly to the market. If value is <b>VALIDATE_ONLY</b> then backend system doesn't send order actions to the market, but validate order parameters.

## AggregatedCosts

Aggregated costs contain an information about estimated costs for the selected order

Field	Type	Description
in_costs_absolute	double	In costs for the order
in_costs_relative	double	Percentage part of the in costs
in_costs_currency	string	Currency for the in costs
out_costs_absolute	double	Out costs for the order
out_costs_relative	double	Percentage part of the out costs
out_costs_currency	string	Currency for the out costs
instrument_costs_absolute	double	Instrument costs for the order
instrument_costs_relative	double	Percentage part of the instrument costs
instrument_costs_currency	string	Currency for the instrument costs
service_costs_absolute	double	Service costs for the order
service_costs_relative	double	Percentage part of the service costs
service_costs_currency	string	Currency for the service costs
subsidy_costs_absolute	double	Subsidy costs for the order
subsidy_costs_relative	double	Percentage part of the subsidy costs
subsidy_costs_currency	string	Currency for the subsidy costs

Field	Type	Description
foreign_currency_costs_absolute	double	Foreign currency costs for the order
foreign_currency_costs_relative	double	Percentage part of the foreign currency costs
foreign_currency_costs_currency	string	Currency for the foreign currency costs
performance_impact_absolute	double	Performance impact for the order
performance_impact_relative	double	Percentage part of the performance impact
performance_impact_currency	string	Currency for the performance impact
expected_amount	double	Expected amount estimated for the order
expected_amount_currency	string	Currency for the expected amount

## AddOrderRequest

Add order request represents order data for the long term markets

Field	Type	Description
access_token	string	Access token
account_number	string	Trading account number which used for the execution
security_with_stock_exchange	<a href="#">SecurityWithStockExchange</a>	Security code with stock exchange
order_type	<a href="#">OrderType</a>	Order type
amount	double	Amount of the securities
order_model	<a href="#">OrderModel</a>	Order model
order_supplement	<a href="#">OrderSupplement</a>	Order supplement
cash_quotation	<a href="#">CashQuotation</a>	Cash quotation
validity_date	<a href="#">Date</a>	Order validity date
limit	double	Limit value
stop	double	Stop value. This value can be used only together with StopMarket, StopLimit and OneCancelOther order models.
stop_limit	double	Stop limit used in the StopLimit and OneCancelOther order models
trailing_distance	double	Trailing distance in trailing notation units or empty value
trailing_notation	<a href="#">TrailingNotation</a>	Trailing notation for the trailing orders
trailing_limit_tolerance	double	Trailing limit tolerance for the trailing orders

Field	Type	Description
dripping_quantity	double	Dripping quantity pro only
position_id	string	Position id of the depot position. It used only for sale certainly securities from depot
validation	<a href="#">Validation</a>	Validation flag. If value is WITHOUT_VALIDATION then backend system sends order actions directly to the market. If value is VALIDATE_ONLY then backend system doesn't send order actions to the market, but validate order parameters. If value is VALIDATE_WITH_TOTAL_COSTS then order will validated by backend system and request total costs for the order. If value is VALIDATE_WITH_DETAIL_COSTS then order will validated by backend system and request detail costs for the order.
risk_class_override	bool	Risk class override flag. If true then allows override user risk class
target_market_override	bool	Target market override flag. If true then allows override target market
tax_nontransparent_override	bool	Tax non transparent override flag. If true then allows override tax intransparency
accept_additional_fees	bool	Accept additional fees flag. If true then allows accept non transparent fees
closed_realestate_fond_override	bool	Closed realestate fond override. If true then allows sell fonds over fds
inactive	bool	Inactive order flag, pro only. If true then order market as inactive and don't routed to the marker. To activate order please use ActivateOrder function

## CancelOrderRequest

Cancel order request represents canceling information for one order on the market or one inactive order

Field	Type	Description
access_token	string	Access token
account_number	string	Trading account number
order_number	string	Order number for that this changes should be accepted
validation	<a href="#">Validation</a>	Validation flag. This request allows only <b>WITHOUT_VALIDATION</b> value. If value is WITHOUT_VALIDATION then backend system sends order actions directly to the market. Otherwise request will fail.

# CashQuotation

Cash quotation is additional parameter of the order

Field	Description
NOTHING	Quotation is not defined
KASSA	Kassa quotation
AUCTION	Auction quotation
OPENING	Opening quotation
INTRADAY	Intraday quotation
CLOSING	Close quotation

# CategoryCost

Represents one category cost.

Field	Type	Description
category_id	string	Category id
category_label	string	Human redable category label
total_sum_absolute	double	Total absolute sum of the children values
total_sum_relative	double	Total relative sum of the children values
currency	string	Currency for absolute sum
detail_costs	List of <a href="#">DetailCost</a>	List of child values or detailed information.

# ChangeOrderRequest

Change order request contains parameters for the order change. Be careful: not all combinations are possible.

Field	Type	Description
access_token	string	Access token
account_number	string	Trading account number
order_number	string	Order number for that this changes should be accepted
limit	double	New limit, shouldn't filled for market order
stop	double	New stop value
stop_limit	double	New stop limit value
amount	double	New amount
validity_date	<a href="#">Date</a>	New validity date
order_model	<a href="#">OrderModel</a>	New order model

Field	Type	Description
order_supplement	OrderSupplement	New order supplement
dripping_quantity	double	Dripping quantity pro only
validation	Validation	Validation flag. This request allows only <b>WITHOUT_VALIDATION</b> and <b>VALIDATE_ONLY</b> values. If value is <b>WITHOUT_VALIDATION</b> then backend system sends order actions directly to the market. If value is <b>VALIDATE_ONLY</b> then backend system doesn't send order actions to the market, but validate order parameters.
trailing_distance	double	New trailing distance
trailing_limit_tolerance	double	New trailing limit tolerance

## CurrencyRateReply

Returns currency rate

Field	Type	Description
currency_from	string	Source currency
currency_to	string	Target currency
currency_rate	double	Currency rate
error	Error	Error information if occurs

## CurrencyRateRequest

CurrencyRateRequest used for the determination of the currency rate from one currency rate to second currency. Results depends from user market data aboniment and can be realtime or delayed.

Field	Type	Description
access_token	string	Access token
currency_from	string	Source currency
currency_to	string	Target currency

## Date

Represents a whole calendar date, e.g. date of birth. The time of day and time zone are either specified elsewhere or are not significant. The date is relative to the Proleptic Gregorian Calendar. The day may be 0 to represent a year and month where the day is not significant, e.g. credit card expiration date. The year may be 0 to represent a month and day independent of year, e.g. anniversary date. Related types are `[google.type.TimeOfDay][google.type.TimeOfDay]` and `google.protobuf.Timestamp`.

Field	Type	Description
year	int32	Year of date. Must be from 1 to 9999, or 0 if specifying a date without a year.
month	int32	Month of year. Must be from 1 to 12.
day	int32	Day of month. Must be from 1 to 31 and valid for the year and month, or 0 if specifying a year/month where the day is not significant.

## DeactivateOrderRequest

Deactivate order request represents information for deactivation of one active order pro only

Field	Type	Description
access_token	string	Access token
account_number	string	Trading account number
order_number	string	Order number for that this changes should be accepted
validation	<a href="#">Validation</a>	Validation flag. This request allows only <b>WITHOUT_VALIDATION</b> and <b>VALIDATE_ONLY</b> values. If value is <b>WITHOUT_VALIDATION</b> then backend system sends order actions directly to the market. If value is <b>VALIDATE_ONLY</b> then backend system doesn't send order actions to the market, but validate order parameters

## DepotEntries

Field	Type	Description
account	<a href="#">TradingAccount</a>	Trading account
entries	List of <a href="#">DepotEntry</a>	Depot entries list
error	<a href="#">Error</a>	Error information if occurs

## DepotEntry

Depot entry contains information about one security in the depot. This entry combines data from one or more depot positions

Field	Type	Description
security_code	<a href="#">SecurityCode</a>	Security code
positions	List of <a href="#">DepotPosition</a>	List of linked depot positions. This list contains at least one element
effective_amount	double	Effective amount
scheduled_amount	double	Scheduled amount
total_amount	double	Total amount of the securities

Field	Type	Description
sell_possible	bool	True if sell possible for this entry or false otherwise. This value can be true only if all child positions have sell_possible = true
unit_note	UnitNote	Unit note
blocked	bool	True if entry is blocked or false otherwise
purchase_quotation	double	Purchase quotation or NaN if not defined
purchase_currency	string	Purchase currency or empty value if not defined
purchase_currency_rate	double	Purchase currency rate or NaN if not defined
open_sales	double	Open sales

## DepotPosition

Depot position contains information about one position in the depot

Field	Type	Description
amount	double	Amount of the securities
position_id	string	Position identification
sell_possible	bool	True if sell of the position is possible or false otherwise
unit_note	UnitNote	Unit note
blocked	bool	True if entry is blocked or false otherwise
purchase_quotation	double	Purchase quotation or NaN if not defined. Currently this field ALWAYS undefined, reserved for future use
purchase_currency	string	Purchase currency or empty value if not defined
purchase_currency_rate	double	Purchase currency rate or NaN if not defined

## DetailCost

Detail cost contains one entry for the selected category

Field	Type	Description
detail_id	string	Detail id
detail_label	string	Human readable detail label
value_absolute	double	Absolute value for this entry
value_relative	double	Relative value for this entry
currency	string	Currency for this entry

Field	Type	Description
detail_type	string	Specific entry type

## Empty

Empty represents absent parameter or result

Field	Type	Description
-------	------	-------------

## Error

Error object

Field	Type	Description
code	string	Error code
message	string	Error message

## LimitToken

Limit token represents a possibility to trade on the short term markets (AcceptQuote) and long term markets (AddOrder)

Field	Description
LIMIT_AND_QUOTE	AcceptQuote and AddOrder possible
QUOTE_ONLY	AcceptQuote only possible
LIMIT_ONLY	AddOrder only possible

## LoginReply

Login reply provides information that need for the access to the TAPI

Field	Type	Description
access_token	string	Access token is used in each request by the access to the TAPI.
error	<a href="#">Error</a>	Error information if occurs

## LoginRequest

Login request provides data for initial access to the TAPI

Field	Type	Description
secret	string	Secret is user defined access string. It's not possible to restore this secret directly. See double MD5 hash logic + salt

## LogoutReply

Field	Type	Description
error	<a href="#">Error</a>	Error information if occurs

## LogoutRequest

Field	Type	Description
access_token	string	Access token to invalidate.

## Order

Order represent one order object

Field	Type	Description
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security with stock exchange
order_type	<a href="#">OrderType</a>	Order type
order_number	string	Order number
amount	double	Amount of the securities
order_model	<a href="#">OrderModel</a>	Order model
order_supplement	<a href="#">OrderSupplement</a>	Order supplement
cash_quotation	<a href="#">CashQuotation</a>	Cache quotation
executed_amount	double	Executed amount
order_status	<a href="#">OrderStatus</a>	Order status
status_timestamp	<a href="#">Timestamp</a>	Date and time of the order status
validity_date	<a href="#">Date</a>	Validity date of the order
limit	double	Limit value. Used as the order limit for all Limit order model with exception of the StopLimit order model. For this order model please use stop limit field.
stop	double	Stop value. This value can be used only together with StopMarket, StopLimit and OneCancelOter order models.
stop_limit	double	Stop limit value Can be used only together with the StopLimit order model. The meaning of the value is limit of the order after stop.
trailing_distance	double	Trailing distance in trailing notation units or empty value

Field	Type	Description
trailing_notation	<a href="#">TrailingNotation</a>	Trailing notation for the trailing orders
trailing_limit_tolerance	double	Trailing limit tolerance for the trailing orders
dripping_quantity	double	Dripping quantity pro only
trading_partner_name	string	Trading partner name
execution_quote	double	Execution quote for the executed amount
unique_id	string	Unique id of the order. Used for the order matching. In the pro version of the ActiveTrader order_number can be changed after activation / deactivation. All order activities need actual or delivered form the system order_number. Typical scenario is to map and update unique id to the order number delivered from the API.

## OrderBookEntry

Orderbook entry contains data about one level of the order book. This is bid price, ask price, bid volume, ask volume. Entries with lower index have lower ask and higher bid prices.

Field	Type	Description
bid_price	double	Bid price
ask_price	double	Ask price
bid_volume	double	Bid volume
ask_volume	double	Ask volume

## OrderCosts

Order costs represents information about order action estimated costs. This information is only **estimated values** and is depended from real execution quotes, time, etc.

Field	Type	Description
estimated_total_costs	double	Estimated total cost for order action
cost_id	string	Reference backend cost id
categorie_costs	List of <a href="#">CategoryCost</a>	List of the cost categories. Filled only by validation request with detailed information.
aggregated_costs	<a href="#">AggregatedCosts</a>	Aggregated costs for the order. Filled only by validation request with validation information.

## OrderModel

Order model represents possible orders

Field	Description
NO_ORDER_MODEL	Order model absent
MARKET	Market order
LIMIT	Limit order
STOP_MARKET	Stop market order.
STOP_LIMIT	Stop limit order
ONE_CANCELS_OTHER_MARKET	One cancels other market order
ONE_CANCELS_OTHER_LIMIT	One cancels other limit order
TRAILING_STOP_MARKET	Trailing stop market order
TRAILING_STOP_LIMIT	Trailing stop limit order

## OrderReply

Order reply represents result of the add order or accept quote requests

Field	Type	Description
account	<a href="#">TradingAccount</a>	Trading account
order	<a href="#">Order</a>	Result order
order_costs	<a href="#">OrderCosts</a>	Order costs. This field contains data if order costs are requested
error	<a href="#">Error</a>	Error information if occurs

## Orders

Orders represent pushed information about orders from one trading accounts

Field	Type	Description
account	<a href="#">TradingAccount</a>	Trading account
orders	List of <a href="#">Order</a>	List of the orders
error	<a href="#">Error</a>	Error information if occurs

## OrderStatus

Order status represents status of the order

Field	Description
NO_ORDER_STATUS	Status is not defined
NEW	New order

Field	Description
OPEN	Open order
EXECUTED	Fully executed order
PARTIALLY_EXECUTED	Partially executed order
CANCELED	Canceled order
CANCELED_FORCED	Canceled forced order
CANCELED_NOTED	Canceling noted order
CANCELED_TIMEOUT	Canceling timeout order
CHANGED	Changed order
CHANGED_NOTED	Changing noted order
INACTIVE	Inactive order pro only
INACTIVE_NOTED	Inactivation noted order pro only
STORNO	Storno order

## OrderSupplement

Order supplement is additional parameter by order definition

Field	Description
NORMAL	Normal order supplement
IMMEDIATE_OR_CANCEL	Immediate or cancel order supplement
FILL_OR_KILL	Fill or kill order supplement
ICEBERG	Icesberg order supplement. Allows to delivery amount in portions. pro only
MARKET_PRICE	Market place order supplement

## OrderType

Order type represents different buy / sell order possibilities

Field	Description
NO_ORDER_TYPE	Order type is not defined
BUY	Buy order type
SELL	Sell order type
SHORT_SELL	Short sell order type
SHORT_COVER	Short cover order type. This type is not allowed as input parameter
FORCED_COVER	Forced cover order type. This type is not allowed as input parameter

## PriceEntry

Field	Type	Description
open_price	double	Open price
close_price	double	Close price
high_price	double	High price
low_price	double	Low price
volume	double	Volume, can not be filled
open_time	Timestamp	Open time
close_time	Timestamp	Close time

## QuoteEntry

Quote entry represents one answer with quote information from one stock exchange This reply contains both buy and sell price. The quote reference can be used only with requested order type. Second value is present only for information goals.

```
order type: BUY -> quote reference for buy price and reference,  
                  sell price and reference are informative only  
order type: SELL -> quote reference for sell price and reference,  
                    buy price and reference are informative only
```

Field	Type	Description
stock_exchange	StockExchange	Stock exchange where information was requested
buy_price	double	Buy price
buy_volume	double	Buy volume
sell_price	double	Sell price
sell_volume	double	Sell volume
last_price	double	Last price
last_volume	double	Last volume
last_time	Timestamp	Date and time of the last price
currency	string	Currency
quote_reference	string	Quote reference. Used for the accept quote request. Can be empty if accept quote is not possible.
order_type	OrderType	Used by call order type
error	Error	Error information if occurs

## QuoteReply

Quote reply represents data with quote answers from requested markets

Field	Type	Description
security_code	<a href="#">SecurityCode</a>	Security code
order_type	<a href="#">OrderType</a>	Order type
price_entries	List of <a href="#">QuoteEntry</a>	List of the quotes
error	<a href="#">Error</a>	Error information if occurs

## QuoteRequest

Quote request represents data to get information about actual quotes on the selected markets

Field	Type	Description
access_token	string	Access token
security_code	<a href="#">SecurityCode</a>	Security code
order_type	<a href="#">OrderType</a>	Order type. Only BUY or SELL are allowed
amount	double	Amount of securities. Relevant to the short term markets
stock_exchanges	List of <a href="#">StockExchange</a>	List of stock exchanges

## SecurityChangedField

SecurityChangedField represents information about changed fields during marked data event. Not all field can be initialized. There are only changed fields. Some fields can be changed, but have undefined state for example NaN.

Field	Description
NONE	No data
LAST_PRICE	Price of the last trade
LAST_VOLUME	Volume last trade
LAST_DATE_TIME	Last quote date and time
TODAY_NUM_TRADES	Today number of tradings
TODAY_VOLUME	Today volume
ASK_PRICE	Last ask price
ASK_VOLUME	Volume last ask
ASK_TIME	Time of the last ask
BID_PRICE	Last bid price
BID_VOLUME	Volume last bid
BID_TIME	Time of the last bid
PREVIOUS_PRICE	Quote of the previous trading day
PREVIOUS_DATE	Date of the previous trading day
RELATIVE_DIFF	Relative difference to the previous day

Field	Description
ABS_DIFF	Absolute difference to the previous day
HIGH_PRICE	Highest price
LOW_PRICE	Lowest price
OPEN_PRICE	Price at opening
WEEK_HIGH_PRICE	Highest price of the previous week
DATE_WEEK_HIGH	Date of highest price of the previous week
WEEK_LOW_PRICE	Lowest price of the previous week
DATE_WEEK_LOW	Date of lowest price of the previous week
MONTH_HIGH_PRICE	Highest price of the previous month
DATE_MONTH_HIGH	Date of highest price of the previous month
MONTH_LOW_PRICE	Lowest price of the previous month
DATE_MONTH_LOW	Date of lowest price of the previous month
YEAR_HIGH_PRICE	Highest price of the current year
DATE_YEAR_HIGH	Date of the highest price of the current year
YEAR_LOW_PRICE	Lowest price of the current year
DATE_YEAR_LOW	Date of the lowest price of the current year
LAST_ADDENDUM	Addendum of the last price.
TRADING_PHASE	Trading phase
INDICATIVE_PRICE	Indicative price
PREVALENCE_VOLUME	Trading volume corresponding to the last price

## SecurityClass

Represents information about security class

Field	Description
NO_SECURITY_CLASS	Security class is undefined on unknown
STOCK	Stock security class
BOND	Bond security class
CERTIFICATE	Certificate security class
PRECIOUS_METAL	Precious metal security class
PARTICIPATION_CERTIFICATE	Participation certificate security class
FUNDS	Funds security class
MUTUAL_FUNDS	Mutual funds security class
WARRANT	Warrants security class
FUTURE	Futures security class

Field	Description
INDEX	Indexes security class
OTHERS	Other securities security class
FUTURE_C1	Future c1 security class
FUTURE_C2	Future c2 security class
FUTURE_C3	Future c3 security class
TRACKERS	Trackers security class
CURRENCY	Currency security class
COMMODITY	Commodity security class

## SecurityCode

Field	Type	Description
code	string	Security code
code_type	<a href="#">SecurityCodeType</a>	Security code type (WKN, ISIN, etc)

## SecurityCodeType

Represents information about security code type Some of the types are refer to the market data provider (FactSet)

Field	Description
NO_CODE_TYPE	Unknown code type
WKN	WKN code type
ISIN	ISIN code type
ID_NOTATION	Factset id notation
ID_OSI	Factset id osi
ID_INSTRUMENT	Factset id instrument
MNEMONIC	Mnemonic or symbol
MNEMONIC_US	US Mnemonic or symbol

## SecurityInfoReply

Returns security information

Field	Type	Description
name	string	Security name
security_class	<a href="#">SecurityClass</a>	Security class
security_codes	List of <a href="#">SecurityCode</a>	Security codes with security type (WKN, ISIN, etc)

Field	Type	Description
stock_exchange_info	List of <a href="#">SecurityStockExchangeInfo</a>	Stockexchange info (stock exchange, name)
unit_note	<a href="#">UnitNote</a>	Unit note
error	<a href="#">Error</a>	Error information if occurs

## SecurityInfoRequest

Requests security information for security code

Field	Type	Description
access_token	string	Access token
security_code	<a href="#">SecurityCode</a>	Security code with security type (WKN, ISIN)

## SecurityMarketDataReply

Returns market data information

Field	Type	Description
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security with stockExchange object (security code, stock exchange)
changed_fields	List of <a href="#">SecurityChangedField</a>	Security fields, which were changed
currency	string	Currency
last_price	double	Fields Price of the last trade
last_volume	double	Volume last trade
last_date_time	<a href="#">Timestamp</a>	Last quote date and time
today_num_trades	int32	Today number of tradings
today_volume	double	Today volume
ask_price	double	Last ask price
ask_volume	double	Volume last ask
ask_time	<a href="#">Timestamp</a>	Time of the last ask
bid_price	double	Last bid price
bid_volume	double	Volume last bid
bid_time	<a href="#">Timestamp</a>	Time of the last bid
previous_price	double	Quote of the previous trading day
previous_date	<a href="#">Date</a>	Date of the previous trading day
relative_diff	double	Relative difference to the previous day

Field	Type	Description
abs_diff	double	Absolute difference to the previous day
high_price	double	Highest price
low_price	double	Lowest price
open_price	double	Price at opening
week_high_price	double	Highest price of the previous week
date_week_high	Date	Date of highest price of the previous week
week_low_price	double	Lowest price of the previous week
date_week_low	Date	Date of lowest price of the previous week
month_high_price	double	Highest price of the previous month
date_month_high	Date	Date of highest price of the previous month
month_low_price	double	Lowest price of the previous month
date_month_low	Date	Date of lowest price of the previous month
year_high_price	double	Highest price of the current year
date_year_high	Date	Date of the highest price of the current year
year_low_price	double	Lowest price of the current year
date_year_low	Date	Date of the lowest price of the current year
last_addendum	string	Addendum of the last price.
trading_phase	TradingPhase	Trading phase
indicative_price	double	Indicative price
prevalence_volume	double	Trading volume corresponding to the last price
error	Error	Error information if occurs

## SecurityMarketDataRequest

Requests market data values for defined security with stockexchange

Field	Type	Description
access_token	string	Access token
security_with_stockexchange	SecurityWithStockExchange	Security with stockExchange object (security code, stock exchange)
currency	string	Currency

## SecurityOrderBookReply

SecurityOrderBookReply represents information with orderbook market data. Currently this information is available for the Xetra stock exchange for the accepted for the second level market data instruments

Field	Type	Description
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security with stock exchange object (security code, stock exchange)
currency	string	Currency of the order book entries
order_book_entries	List of <a href="#">OrderBookEntry</a>	List of the order book entries
error	<a href="#">Error</a>	Error information if occurs

## SecurityOrderBookRequest

Requests orderbook data for security with stockexchange

Field	Type	Description
access_token	string	Access token
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security with stockExchange object (security code, stock exchange)
currency	string	Requested currency. If not filled used default currency. Otherwise values will be converted to requested currency.

## SecurityPriceHistoryReply

Returns history data for defined security

Field	Type	Description
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security with stockExchange object (security code, stock exchange)
currency	string	Currency
price_entries	List of <a href="#">PriceEntry</a>	List of the price entries
error	<a href="#">Error</a>	Error information if occurs

## SecurityPriceHistoryRequest

Requests history data for one security on one stockexchange in intraday or historical format

Field	Type	Description
access_token	string	Access token
security_with_stockexchange	<a href="#">SecurityWithStockExchange</a>	Security with stockExchange object (security code, stock exchange)
days	int32	Amount of the day in the past. This value should be positive. Maximal value for the intraday resolution is 15.
time_resolution	<a href="#">TimeResolution</a>	Time resolution for the data

# SecurityStockExchangeInfo

Security stock exchange info represents trading information about one security on the one market

Field	Type	Description
stock_exchange	<a href="#">StockExchange</a>	Stockexchange (id und issuer)
buy_limit_token	<a href="#">LimitToken</a>	Possible limit token for buy orders
sell_limit_token	<a href="#">LimitToken</a>	Possible limit token for sell orders
buy_trading_types	List of <a href="#">TradingPossibility</a>	Buy trading data (order models, order supplements, trailing notations)
sell_trading_types	List of <a href="#">TradingPossibility</a>	Sell trading data (order models, order supplements, trailing notations)
maximal_order_date	<a href="#">Date</a>	Maximal order validity date
short_mode	<a href="#">ShortMode</a>	Short selling mode

# SecurityWithStockExchange

Field	Type	Description
security_code	<a href="#">SecurityCode</a>	Security code object
stock_exchange	<a href="#">StockExchange</a>	Stock exchange object

Table 6. AccessService

Function	Description
<a href="#">LoginReply</a> = <a href="#">Login(LoginRequest)</a>	Validates client by the TAPI and gets access data
<a href="#">LogoutReply</a> = <a href="#">Logout(LoginRequest)</a>	Invalidates client by the TAPI and gets logout result

Table 7. AccountService

Function	Description
<a href="#">TradingAccounts</a> = <a href="#">GetTradingAccounts(AccessTokenRequest)</a>	Gets trading accounts <b>@return</b> TradingAccounts List of trading accounts
<a href="#">TradingAccountInformation</a> ← <a href="#">StreamTradingAccount(TradingAccountRequest)</a>	Subscribes one trading account for updates <b>@param</b> TradingAccount Trading account for push <b>@stream</b> TradingAccountInformation Specific information for subscribed account (balance, kredit line, etc.)

Function	Description
<a href="#">TradingAccountTransactions</a> ← StreamTradingAccountTransactions( <a href="#">TradingAccountRequest</a> )	Subscribes one trading account for the transactions updates  <b>@param</b> TradingAccount Trading account for push  <b>@stream</b> TradingAccountInformation Transactions list for subscribed account

Table 8. DepotService

Function	Description
<a href="#">DepotEntries</a> ← StreamDepot( <a href="#">TradingAccountRequest</a> )	Subscribes one trading account for the depot data updates  <b>@param</b> TradingAccount Trading account for push  <b>@stream</b> DepotEntries depot entries linked to the account
<a href="#">Empty</a> = UpdateDepot( <a href="#">TradingAccountRequest</a> )	Initiates depot update action. All changes come by the StreamDepot subscription. This function doesn't wait for the action result.  <b>@param</b> TradingAccount Trading account for update

Table 9. OrderService

Function	Description
<a href="#">Orders</a> ← StreamOrders( <a href="#">TradingAccountRequest</a> )	Subscribes one trading account for orders updates  <b>@param</b> TradingAccount Trading account for push  <b>@stream</b> Orders Orders list for selected account
<a href="#">Empty</a> = UpdateOrders( <a href="#">TradingAccountRequest</a> )	Initiates orders update action. All changes come by the StreamOrders subscription. This function doesn't wait for the action result.  <b>@param</b> TradingAccount Trading account for update
<a href="#">QuoteReply</a> = GetQuote( <a href="#">QuoteRequest</a> )	Request market quote for the selected security on the selected stock exchanges.  <b>@param</b> QuoteRequest quote request with interested security and stock exchanges  <b>@return</b> QuoteReply quote reply with quotes
<a href="#">OrderReply</a> = AcceptQuote( <a href="#">AcceptQuoteRequest</a> )	Sends accept quote order request to the short term market  <b>@param</b> AcceptQuoteRequest accept quote request with order parameters  <b>@return</b> OrderReply result order or error

Function	Description
<code>OrderReply = AddOrder(AddOrderRequest)</code>	Sends long term order to the market  <b>@param</b> AddOrderRequest order request with order parameters  <b>@return</b> OrderReply result order or error
<code>OrderReply = ChangeOrder(ChangeOrderRequest)</code>	Sends order change request to the market  <b>@param</b> ChangeOrderRequest changed order request with order parameters  <b>@return</b> OrderReply result order or error
<code>OrderReply = CancelOrder(CancelOrderRequest)</code>	Sends order cancel request to the market  <b>@param</b> CancelOrderRequest cancel order request with order reference  <b>@return</b> OrderReply result order or error
<code>OrderReply = ActivateOrder(ActivateOrderRequest)</code>	Sends order activate request to the market. pro only  <b>@param</b> ActivateOrderRequest activate order request with order parameters  <b>@return</b> OrderReply result order or error
<code>OrderReply = DeactivateOrder(DeactivateOrderRequest)</code>	Sends order deactivate request to the market. pro only  <b>@param</b> DeactivateOrderRequest deactivate order request with order parameters  <b>@return</b> OrderReply result order or error

Table 10. SecurityService

Function	Description
<code>SecurityInfoReply = GetSecurityInfo(SecurityInfoRequest)</code>	Gets security information about security  <b>@param</b> SecurityInfoRequest Request object with interested security  <b>@return</b> SecurityInfoReply Complete information about security
<code>SecurityMarketDataReply ← StreamMarketData(SecurityMarketDataRequest)</code>	Subscribes security with stock exchange for market data updates  <b>@param</b> SecurityMarketDataRequest Market data request with interested security and stock exchange  <b>@stream</b> SecurityMarketDataReply Reply with all market data values

Function	Description
<a href="#">SecurityOrderBookReply</a> ← <a href="#">StreamOrderBook(SecurityOrderBookRequest)</a>	Subscribes security with stock exchange for orderbook updates  <b>@param</b> SecurityOrderBookRequest Orderbook data request with interested security and stock exchange  <b>@stream</b> SecurityOrderBookReply Reply with all orderbook values
<a href="#">CurrencyRateReply</a> ← <a href="#">StreamCurrencyRate(CurrencyRateRequest)</a>	Subscribes for currency rate from one currency to another currency.  <b>@param</b> SecurityOrderBookRequest currency rate request with interested currencies from/to  <b>@stream</b> CurrencyRateReply reply with currency rate
<a href="#">SecurityPriceHistoryReply</a> = <a href="#">GetSecurityPriceHistory(SecurityPriceHistoryRequest)</a>	Requests history data for one security on one stockexchange in intraday or historical format  <b>@param</b> SecurityPriceHistoryRequest Data with security, stockexchange, how many days and resolution  <b>@return</b> SecurityPriceHistoryReply List of the historical quotes or an error

Table 11. StockExchangeService

Function	Description
<a href="#">StockExchangeDescriptions</a> = <a href="#">GetStockExchanges(AccessTokenRequest)</a>	Gets predefined stockexchanges  <b>@return</b> StockExchangeDescriptions list of stock exchange informations
<a href="#">StockExchangeDescription</a> = <a href="#">GetStockExchange(StockExchangeRequest)</a>	Gets specific stock exchange  <b>@param</b> StockExchange Requested stock exchange  <b>@return</b> StockExchangeDescription Stock exchange information

## ShortMode

Short mode gives information about security shortability on the selected market.

Field	Description
NO_SHORT_MODE	Undefined short selling
YES	Short selling is possible
NO	No short selling
TEMPORARY_NO	Temporary no short selling
INTRADAY	Intraday short selling
OVERNIGHT	Overnight short selling

Field	Description
INTRADAY_AND_OVERNIGHT	Intraday and Overnight short selling

## StockExchange

Stock exchange data

Field	Type	Description
id	string	Stock exchange id
issuer	string	Stock exchange issuer. Can be null

## StockExchangeDescription

Field	Type	Description
stock_exchange_info	<a href="#">StockExchangeInfo</a>	Stock exchange information
error	<a href="#">Error</a>	Error information if occurs

## StockExchangeDescriptions

Field	Type	Description
stock_exchange_infos	List of <a href="#">StockExchangeInfo</a>	List with stock exchange information
error	<a href="#">Error</a>	Error

## StockExchangeInfo

Field	Type	Description
stockExchange	<a href="#">StockExchange</a>	Stock exchange object
name	string	Stock exchange name

## StockExchangeRequest

Stock exchange request contains data that need to request stock exchange related data

Field	Type	Description
access_token	string	Access token
stock_exchange	<a href="#">StockExchange</a>	Stock exchange

# TimeResolution

Time resolution represents information about price aggregation

Field	Description
NO_RESOLUTION	Undefined resolution
TICK	Tick resolution. <b>intraday</b> .  Be careful, in some cases there is a lot of data.
SECOND	Second resolution <b>intraday</b>
MINUTE	Minute resolution <b>intraday</b>
HOURL	Hour resolution <b>intraday</b>
DAY	Day resolution <b>historic</b>

# Timestamp

A Timestamp represents a point in time independent of any time zone or calendar, represented as seconds and fractions of seconds at nanosecond resolution in UTC Epoch time. It is encoded using the Proleptic Gregorian Calendar which extends the Gregorian calendar backwards to year one. It is encoded assuming all minutes are 60 seconds long, i.e. leap seconds are "smeared" so that no leap second table is needed for interpretation. Range is from 0001-01-01T00:00:00Z to 9999-12-31T23:59:59.999999999Z. By restricting to that range, we ensure that we can convert to and from RFC 3339 date strings. See <https://www.ietf.org/rfc/rfc3339.txt>.

Examples

Example 1: Compute Timestamp from POSIX `time()`.

```
Timestamp timestamp;  
timestamp.set_seconds(time(NULL));  
timestamp.set_nanos(0);
```

Example 2: Compute Timestamp from POSIX `gettimeofday()`.

```
struct timeval tv;  
gettimeofday(&tv, NULL);
```

```
Timestamp timestamp;  
timestamp.set_seconds(tv.tv_sec);  
timestamp.set_nanos(tv.tv_usec * 1000);
```

Example 3: Compute Timestamp from Win32 `GetSystemTimeAsFileTime()`.

```
FILETIME ft;
GetSystemTimeAsFileTime(&ft);
UINT64 ticks = (((UINT64)ft.dwHighDateTime) << 32) | ft.dwLowDateTime;
```

```
// A Windows tick is 100 nanoseconds. Windows epoch 1601-01-01T00:00:00Z
// is 11644473600 seconds before Unix epoch 1970-01-01T00:00:00Z.
Timestamp timestamp;
timestamp.set_seconds((INT64) ((ticks / 10000000) - 11644473600LL));
timestamp.set_nanos((INT32) ((ticks % 10000000) * 100));
```

Example 4: Compute Timestamp from Java `System.currentTimeMillis()`.

```
long millis = System.currentTimeMillis();
```

```
Timestamp timestamp = Timestamp.newBuilder().setSeconds(millis / 1000)
    .setNanos((int) ((millis % 1000) * 1000000)).build();
```

Example 5: Compute Timestamp from current time in Python.

```
timestamp = Timestamp()
timestamp.GetCurrentTime()
```

## JSON Mapping

In JSON format, the Timestamp type is encoded as a string in the [RFC 3339](#) format. That is, the format is "{year}-{month}-{day}T{hour}:{min}:{sec}[.{frac\_sec}]Z" where {year} is always expressed using four digits while {month}, {day}, {hour}, {min}, and {sec} are zero-padded to two digits each. The fractional seconds, which can go up to 9 digits (i.e. up to 1 nanosecond resolution), are optional. The "Z" suffix indicates the timezone ("UTC"); the timezone is required. A proto3 JSON serializer should always use UTC (as indicated by "Z") when printing the Timestamp type and a proto3 JSON parser should be able to accept both UTC and other timezones (as indicated by an offset).

For example, "2017-01-15T01:30:15.01Z" encodes 15.01 seconds past 01:30 UTC on January 15, 2017.

In JavaScript, one can convert a Date object to this format using the standard `toISOString()` method. In Python, a standard `datetime.datetime` object can be converted to this format using `strftime` with the time format spec '%Y-%m-%dT%H:%M:%S.%fZ'. Likewise, in Java, one can use the Joda Time's `ISODateTimeFormat.dateTime()` to obtain a formatter capable of generating timestamps in this format.

Timestamp represents date + time format

Field	Type	Description
seconds	int64	Represents seconds of UTC time since Unix epoch 1970-01-01T00:00:00Z. Must be from 0001-01-01T00:00:00Z to 9999-12-31T23:59:59Z inclusive.
nanos	int32	Non-negative fractions of a second at nanosecond resolution. Negative second values with fractions must still have non-negative nanos values that count forward in time. Must be from 0 to 999,999,999 inclusive.

## TradingAccount

TradingAccount is trading account connected to the depot

Field	Type	Description
account_number	string	Account number
depot_number	string	Depot number
name	string	Name of the account owners
tradable	bool	If account is tradable then true or false otherwise

## TradingAccountInformation

TradingAccountInformation contains specific for this account information

Field	Type	Description
account	<a href="#">TradingAccount</a>	Trading account
balance	double	Account balance
credit_limit	double	Credit limit information
buying_power	double	Buying power
credit_limit_intraday	double	Credit limit intraday information, pro only
buying_power_intraday	double	Buyng power intraday, pro only
error	<a href="#">Error</a>	Error information if occurs

## TradingAccountRequest

Trading account request contains trading account related data

Field	Type	Description
access_token	string	Access token
trading_account	<a href="#">TradingAccount</a>	Trading account

# TradingAccounts

TradingAccounts contains account information from current session

Field	Type	Description
accounts	List of <a href="#">TradingAccount</a>	List of trading accounts
error	<a href="#">Error</a>	Error information if occurs

# TradingAccountTransactions

TradingAccountTransactions contains account transactions

Field	Type	Description
account	<a href="#">TradingAccount</a>	Trading account
transactions	List of <a href="#">Transaction</a>	List of transactions
error	<a href="#">Error</a>	Error information if happened

# TradingPhase

Represents stock exchange trading phase. Some values are refer to the Xetra stock exchange

Field	Description
NONE	Unknown trading phase
PRETRADE	Pretrade trading phase
POSTTRADE	Posttrade trading phase
START	Start trading phase
END	End trading phase
VOLA	Vola trading phase
OCALL	OCall trading phase
ICALL	ICall trading phase
CCALL	CCall trading phase
TRADE	Trade trading phase
TRADE_INDICATIVE	Trade indicative trading phase
TRADE_BEST_BID_ASK	Trade best bid / ask trading phase
TRADE_AUCTION_NO_I NDICATIVE	Trade auction, but not indicative trading phase

# TradingPossibility

Trading possibility represents allowed variants to trade on specific stock exchange. Each trading

possibility is a combination of the parameters. The list of the order possibilities is all possible combinations:

```
MARKET;NORMAL;ABSOLUTE;{KASSA;AUCTION}
LIMIT;NORMAL;ABSOLUTE;{KASSA;AUCTION}
MARKET;NORMAL;RELATIVE;{KASSA;AUCTION}
LIMIT;NORMAL;RELATIVE;{KASSA;AUCTION}
...
```

Field	Type	Description
order_model	<a href="#">OrderModel</a>	Order model
order_supplement	<a href="#">OrderSupplement</a>	Order supplement
trailing_notation	<a href="#">TrailingNotation</a>	Trailing notation
cash_quotations	List of <a href="#">CashQuotation</a>	List of allowed cash_quotations

## TradingState

Trading state represents information about tradability. Security can be tradable or not (ex. index)

Field	Description
NO_TRADING_STATE	Trading state is not defined
TRADABLE	Tradable state
NOT_TRADABLE	Not tradable state

## TrailingNotation

Trailing notation represent notation type by trailing orders

Field	Description
NO_TRAILING_NOTATION	Trailing notation is not defined
ABSOLUTE	Absolute order notation
RELATIVE	Relative order notation

## Transaction

Transaction contains information about one transaction

Field	Type	Description
transaction_date	<a href="#">Date</a>	Transaction date
amount	double	Amount value

Field	Type	Description
opponent	string	Transaction opponent
information	string	Information about transaction
value_date	Date	Value date

## UnitNote

Unit node type

Field	Description
NO_UNIT_NOTE	Unit note is not defined
PIECE	Piece unit note
PERCENT	Percent unit node. Pieces = Percent/100
PERMIL	Permille unit node. Pieces = Percent/1000
POINTS	Points unit node
MISK	Misk unit node

## Validation

Validation type for the order actions

Field	Description
WITHOUT_VALIDATION	Order action will routed directly to the market.
VALIDATE_ONLY	Order will checked by the backend system, but not will be routed to market
VALIDATE_WITH_TOTAL_COSTS	Order will checked by the backend system, but not will be routed to market. Additionally will be requested estimated order action total costs.
VALIDATE_WITH_DETAIL_COSTS	Order will checked by the backend system, but not will be routed to market. Additionally will be requested estimated order action detail costs.
TOTAL_COSTS_ONLY	For the order will be requested estimated order action total costs. No backend system validation is processed.

## Questions and Answers

### Why is used GRPC engine?

The GRPC is fastest engine for push and pull messaging with building security support. It allows to reduce time for requests execution (ex. add order) and cares about low level communication.

### Is will be supported another languages?

We delivery original protobuf protocol description. It can be used for the code generation for other programming languages like C++, Python, Go, Ruby, Node.js, Android Java, Objective-C,

PHP, Dart and Web. For more information please refer to the [grpc.io](https://grpc.io)

**Is it planned to extend TAPI?**

If we see an interest from the customers to use additional functionality, then TAPI can be extended.

**Where I can ask questions / get additional information about TAPI?**

Please use next [link](#) or refer to the support team.